

Publications A. Bay, 1986-2016

1. R. Aaij *et al.* [LHCb Collaboration], “Evidence for exotic hadron contributions to $\Lambda_b^0 \rightarrow J/\psi p \pi^-$ decays”, Phys. Rev. Lett. **117** (2016) no.8, 082003 Addendum: [Phys. Rev. Lett. **117** (2016) no.10, 109902]
2. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the CP asymmetry in $B_s^0 - \bar{B}_s^0$ mixing”, Phys. Rev. Lett. **117** (2016) no.6, 061803
3. R. Aaij *et al.* [LHCb Collaboration], “Measurement of forward W and Z boson production in association with jets in proton-proton collisions at $\sqrt{s} = 8$ TeV”, JHEP **1605** (2016) 131
4. R. Aaij *et al.* [LHCb Collaboration], “Model-independent evidence for $J/\psi p$ contributions to $\Lambda_b^0 \rightarrow J/\psi p K^-$ decays”, Phys. Rev. Lett. **117** (2016) no.8, 082002
5. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the properties of the Ξ_b^{*0} baryon”, JHEP **1605** (2016) 161
6. R. Aaij *et al.* [LHCb Collaboration], “A precise measurement of the B^0 meson oscillation frequency”, Eur. Phys. J. C **76** (2016) no.7, 412
7. R. Aaij *et al.* [LHCb Collaboration], “Model-independent measurement of the CKM angle γ using $B^0 \rightarrow DK^{*0}$ decays with $D \rightarrow K_S^0 \pi^+ \pi^-$ and $K_S^0 K^+ K^-$ ”, JHEP **1606** (2016) 131
8. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the mass and lifetime of the Ω_b^- baryon”, Phys. Rev. D **93** (2016) no.9, 092007
9. R. Aaij *et al.* [LHCb Collaboration], “Measurement of CP observables in $B^\pm \rightarrow DK^\pm$ and $B^\pm \rightarrow D\pi^\pm$ with two- and four-body D decays”, Phys. Lett. B **760** (2016) 117
10. R. Aaij *et al.* [LHCb Collaboration], “Search for B_c^+ decays to the $p\bar{p}\pi^+$ final state”, Phys. Lett. B **759** (2016) 313
11. R. Aaij *et al.* [LHCb Collaboration], “Observation of $\Lambda_b^0 \rightarrow \psi(2S)pK^-$ and $\Lambda_b^0 \rightarrow J/\psi\pi^+\pi^-pK^-$ decays and a measurement of the Λ_b^0 baryon mass”, JHEP **1605** (2016) 132
12. R. Aaij *et al.* [LHCb Collaboration], “Search for violations of Lorentz invariance and CPT symmetry in $B_{(s)}^0$ mixing”, Phys. Rev. Lett. **116** (2016) no.24, 241601
13. R. Aaij *et al.* [LHCb Collaboration], “Observation of the $\Lambda_b^0 \rightarrow \Lambda\phi$ decay”, Phys. Lett. B **759** (2016) 282
14. R. Aaij *et al.* [LHCb Collaboration], “Observation of $B_s^0 \rightarrow \bar{D}^0 K_S^0$ and evidence for $B_s^0 \rightarrow \bar{D}^{*0} K_S^0$ decays”, Phys. Rev. Lett. **116** (2016) no.16, 161802
15. R. Aaij *et al.* [LHCb Collaboration], “Observations of $\Lambda_b^0 \rightarrow \Lambda K^+ \pi^-$ and $\Lambda_b^0 \rightarrow \Lambda K^+ K^-$ decays and searches for other Λ_b^0 and Ξ_b^0 decays to $\Lambda h^+ h'^-$ final states, JHEP **1605** (2016) 081
16. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the $B_s^0 \rightarrow D_s^{(*)+} D_s^{(*)-}$ branching fractions”, Phys. Rev. D **93** (2016) no.9, 092008
17. R. Aaij *et al.* [LHCb Collaboration], “A new algorithm for identifying the flavour of B_s^0 mesons at LHCb”, JINST **11** (2016) no.05, P05010
18. R. Aaij *et al.* [LHCb Collaboration], “First observation of $D^0 - \bar{D}^0$ oscillations in $D^0 \rightarrow K^+ \pi^- \pi^+ \pi^-$ decays and measurement of the associated coherence parameters”, Phys. Rev. Lett. **116** (2016) no.24, 241801
19. R. Aaij *et al.* [LHCb Collaboration], “Constraints on the unitarity triangle angle γ from Dalitz plot analysis of $B^0 \rightarrow DK^+ \pi^-$ decays”, Phys. Rev. D **93** (2016) no.11, 112018
20. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the difference of time-integrated CP asymmetries in $D^0 \rightarrow K^- K^+$ and $D^0 \rightarrow \pi^- \pi^+$ decays”, Phys. Rev. Lett. **116** (2016) no.19, 191601

21. R. Aaij *et al.* [LHCb Collaboration], “Study of $\psi(2S)$ production and cold nuclear matter effects in pPb collisions at $\sqrt{s_{NN}} = 5$ TeV”, JHEP **1603** (2016) 133
22. R. Aaij *et al.* [LHCb Collaboration], “Observation of the $B_s^0 \rightarrow J/\psi\phi\phi$ decay”, JHEP **1603** (2016) 040
23. R. Aaij *et al.* [LHCb Collaboration], “Study of $D_{sJ}^{(*)+}$ mesons decaying to $D^{*+} K_S^0$ and $D^{*0} K^+$ final states”, JHEP **1602** (2016) 133
24. R. Aaij *et al.* [LHCb Collaboration], “Angular analysis of the $B^0 \rightarrow K^{*0}\mu^+\mu^-$ decay using 3 fb⁻¹ of integrated luminosity”, JHEP **1602** (2016) 104
25. R. Aaij *et al.* [LHCb Collaboration], “First observation of the rare $B^+ \rightarrow D^+K^+\pi^-$ decay”, Phys. Rev. D **93** (2016) no.5, 051101 Erratum: [Phys. Rev. D **93** (2016) no.11, 119902]
26. R. Aaij *et al.* [LHCb Collaboration], “Search for the lepton-flavour violating decay $D^0 \rightarrow e^\pm\mu^\mp$ ”, Phys. Lett. B **754** (2016) 167 doi:10.1016/j.physletb.2016.01.029
27. R. Aaij *et al.* [LHCb Collaboration], “Measurement of forward W and Z boson production in pp collisions at $\sqrt{s} = 8$ TeV”, JHEP **1601** (2016) 155 doi:10.1007/JHEP01(2016)155
28. R. Aaij *et al.* [LHCb Collaboration], “Search for the rare decays $B^0 \rightarrow J/\psi\gamma$ and $B_s^0 \rightarrow J/\psi\gamma$ ”, Phys. Rev. D **92** (2015) 11, 112002 doi:10.1103/PhysRevD.92.112002
29. R. Aaij *et al.* [LHCb Collaboration], “Evidence for the strangeness-changing weak decay $\Xi_b^- \rightarrow \Lambda_b^0\pi^-$ ”, Phys. Rev. Lett. **115** (2015) 24, 241801 doi:10.1103/PhysRevLett.115.241801
30. R. Aaij *et al.* [LHCb Collaboration], “Model-independent confirmation of the $Z(4430)^-$ state”, Phys. Rev. D **92** (2015) 11, 112009 [Phys. Rev. D **92** (2015) 112009] doi:10.1103/PhysRevD.92.112009
31. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the forward-backward asymmetry in $Z/\gamma^* \rightarrow \mu^+\mu^-$ decays and determination of the effective weak mixing angle”, JHEP **1511** (2015) 190 doi:10.1007/JHEP11(2015)190
32. R. Aaij *et al.* [LHCb Collaboration], “Forward production of Υ mesons in pp collisions at $\sqrt{s} = 7$ and 8TeV”, JHEP **1511** (2015) 103 doi:10.1007/JHEP11(2015)103
33. R. Aaij *et al.* [LHCb Collaboration], “Measurement of forward J/ψ production cross-sections in pp collisions at $\sqrt{s} = 13$ TeV”, JHEP **1510** (2015) 172 doi:10.1007/JHEP10(2015)172
34. R. Aaij *et al.* [LHCb Collaboration], “First measurement of the differential branching fraction and CP asymmetry of the $B^\pm \rightarrow \pi^\pm\mu^+\mu^-$ decay”, JHEP **1510** (2015) 034 doi:10.1007/JHEP10(2015)034
35. R. Aaij *et al.* [LHCb Collaboration], “Measurement of CP violation parameters and polarisation fractions in $B_s^0 \rightarrow J/\psi\bar{K}^{*0}$ decays”, JHEP **1511** (2015) 082 doi:10.1007/JHEP11(2015)082
36. R. Aaij *et al.* [LHCb Collaboration], “Study of the production of Λ_b^0 and \bar{B}^0 hadrons in pp collisions and first measurement of the $\Lambda_b^0 \rightarrow J/\psi p K^-$ branching fraction”, Chin. Phys. C **40** (2016) 1, 011001 doi:10.1088/1674-1137/40/1/011001
37. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the time-integrated CP asymmetry in $D^0 \rightarrow K_S^0 K_S^0$ decays”, JHEP **1510** (2015) 055 doi:10.1007/JHEP10(2015)055
38. R. Aaij *et al.* [LHCb Collaboration], “Search for hidden-sector bosons in $B^0 \rightarrow K^{*0}\mu^+\mu^-$ decays”, Phys. Rev. Lett. **115** (2015) 16, 161802 doi:10.1103/PhysRevLett.115.161802
39. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the $B_s^0 \rightarrow \phi\phi$ branching fraction and search for the decay $B^0 \rightarrow \phi\phi$ ”, JHEP **1510** (2015) 053 doi:10.1007/JHEP10(2015)053
40. R. Aaij *et al.* [LHCb Collaboration], “ B flavour tagging using charm decays at the LHCb experiment”, JINST **10** (2015) 10, P10005 doi:10.1088/1748-0221/10/10/P10005
41. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the branching fraction ratio $\mathcal{B}(B_c^+ \rightarrow \psi(2S)\pi^+)/\mathcal{B}(B_c^+ \rightarrow J/\psi\pi^+)$ ”, Phys. Rev. D **92** (2015) 7, 072007 doi:10.1103/PhysRevD.92.072007

42. R. Aaij *et al.* [LHCb Collaboration], “Observation of J/ψ p Resonances Consistent with Pentaquark States in $\Lambda_b^0 \rightarrow J/\psi K^- p$ Decays”, *Phys. Rev. Lett.* **115** (2015) 072001 doi:10.1103/PhysRevLett.115.072001
43. R. Aaij *et al.* [LHCb Collaboration], “First observation of the decay $B_s^0 \rightarrow K_S^0 K^*(892)^0$ at LHCb”, *JHEP* **1601** (2016) 012 doi:10.1007/JHEP01(2016)012
44. R. Aaij *et al.* [LHCb Collaboration], “Search for long-lived heavy charged particles using a ring imaging Cherenkov technique at LHCb”, *Eur. Phys. J. C* **75** (2015) 12, 595 doi:10.1140/epjc/s10052-015-3809-7
45. R. Aaij *et al.* [LHCb Collaboration], “Angular analysis and differential branching fraction of the decay $B_s^0 \rightarrow \phi \mu^+ \mu^-$ ”, *JHEP* **1509** (2015) 179 doi:10.1007/JHEP09(2015)179
46. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the ratio of branching fractions $\mathcal{B}(\overline{B}^0 \rightarrow D^{*+} \tau^- \overline{\nu}_\tau) / \mathcal{B}(\overline{B}^0 \rightarrow D^{*+} \mu^- \overline{\nu}_\mu)$ ”, *Phys. Rev. Lett.* **115** (2015) 11, 111803
47. R. Aaij *et al.* [LHCb Collaboration], “First observation of top quark production in the forward region”, *Phys. Rev. Lett.* **115** (2015) 11, 112001
48. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the forward Z boson production cross-section in pp collisions at $\sqrt{s} = 7$ TeV”, *JHEP* **1508** (2015) 039
49. R. Aaij *et al.* [LHCb Collaboration], “Study of W boson production in association with beauty and charm”, *Phys. Rev. D* **92** (2015) 5, 052001
50. R. Aaij *et al.* [LHCb Collaboration], “Search for the $\Lambda_b^0 \rightarrow \Lambda \eta'$ and $\Lambda_b^0 \rightarrow \Lambda \eta$ decays with the LHCb detector”, *JHEP* **1509** (2015) 006
51. R. Aaij *et al.* [LHCb Collaboration], “Dalitz plot analysis of $B^0 \rightarrow \overline{D}^0 \pi^+ \pi^-$ decays”, *Phys. Rev. D* **92** (2015) 3, 032002
52. R. Aaij *et al.* [LHCb Collaboration], “Search for the decay $B_s^0 \rightarrow \overline{D}^0 f_0(980)$ ”, *JHEP* **1508** (2015) 005
53. R. Aaij *et al.* [LHCb Collaboration], “Amplitude analysis of $B^0 \rightarrow \overline{D}^0 K^+ \pi^-$ decays”, *Phys. Rev. D* **92** (2015) 1, 012012
54. R. Aaij *et al.* [LHCb Collaboration], “Identification of beauty and charm quark jets at LHCb”, *JINST* **10** (2015) 06, P06013
55. R. Aaij *et al.* [LHCb Collaboration], “Quantum numbers of the $X(3872)$ state and orbital angular momentum in its $\rho^0 J/\psi$ decay”, *Phys. Rev. D* **92** (2015) 1, 011102
56. R. Aaij *et al.* [LHCb Collaboration], “A study of CP violation in $B^\mp \rightarrow Dh^\mp$ ($h = K, \pi$) with the modes $D \rightarrow K^\mp \pi^\pm \pi^0$, $D \rightarrow \pi^+ \pi^- \pi^0$ and $D \rightarrow K^+ K^- \pi^0$ ”, *Phys. Rev. D* **91** (2015) 11, 112014
57. R. Aaij *et al.* [LHCb Collaboration], “Determination of the quark coupling strength $|V_{ub}|$ using baryonic decays”, *Nature Phys.* **11** (2015) 743
58. R. Aaij *et al.* [LHCb Collaboration], “First observation and measurement of the branching fraction for the decay $B_s^0 \rightarrow D_s^{*\mp} K^\pm$ ”, *JHEP* **1506** (2015) 130
59. R. Aaij *et al.* [LHCb Collaboration], “Observation of the $B^0 \rightarrow \rho^0 \rho^0$ decay from an amplitude analysis of $B^0 \rightarrow (\pi^+ \pi^-)(\pi^+ \pi^-)$ decays”, *Phys. Lett. B* **747** (2015) 468
60. R. Aaij *et al.* [LHCb Collaboration], “Observation of the $B_s^0 \rightarrow \eta' \eta'$ decay”, *Phys. Rev. Lett.* **115** (2015) 5, 051801
61. R. Aaij *et al.* [LHCb Collaboration], “Differential branching fraction and angular analysis of $\Lambda_b^0 \rightarrow \Lambda \mu^+ \mu^-$ decays”, *JHEP* **1506** (2015) 115
62. R. Aaij *et al.* [LHCb Collaboration], “Observation of the decay $\overline{B}_s^0 \rightarrow \psi(2S) K^+ \pi^-$ ”, *Phys. Lett. B* **747** (2015) 484

63. R. Aaij *et al.* [LHCb Collaboration], “Measurement of CP violation in $B^0 \rightarrow J/\psi K_S^0$ decays”, *Phys. Rev. Lett.* **115** (2015) 3, 031601
64. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the time-dependent CP asymmetries in $B_s^0 \rightarrow J/\psi K_S^0$ ”, *JHEP* **1506** (2015) 131
65. R. Aaij *et al.* [LHCb Collaboration], “Measurement of CP asymmetries and polarisation fractions in $B_s^0 \rightarrow K^{*0} \bar{K}^{*0}$ decays”, *JHEP* **1507** (2015) 166
66. R. Aaij *et al.* [LHCb Collaboration], “First observation and amplitude analysis of the $B^- \rightarrow D^+ K^- \pi^-$ decay”, *Phys. Rev. D* **91** (2015) 9, 092002
67. R. Aaij *et al.* [LHCb Collaboration], “Measurement of forward $Z \rightarrow e^+ e^-$ production at $\sqrt{s} = 8$ TeV”, *JHEP* **1505** (2015) 109
68. R. Aaij *et al.* [LHCb Collaboration], “Precise measurements of the properties of the $B_1(5721)^{0,+}$ and $B_2^*(5747)^{0,+}$ states and observation of $B^{+,0} \pi^{-,+}$ mass structures”, *JHEP* **1504** (2015) 024
69. R. Aaij *et al.* [LHCb Collaboration], “Measurement of indirect CP asymmetries in $D^0 \rightarrow K^- K^+$ and $D^0 \rightarrow \pi^- \pi^+$ decays using semileptonic B decays”, *JHEP* **1504** (2015) 043
70. R. Aaij *et al.* [LHCb Collaboration], “Angular analysis of the $B^0 \rightarrow K^{*0} e^+ e^-$ decay in the low- q^2 region”, *JHEP* **1504** (2015) 064
71. R. Aaij *et al.* [LHCb Collaboration], “Determination of the branching fractions of $B_S^0 \rightarrow D_S^\mp K^\mp$ and $B^0 \rightarrow D_S^- K^+$ ”, *JHEP* **1505** (2015) 019
72. R. Aaij *et al.* [LHCb Collaboration], “Study of the rare B_S^0 and B^0 decays into the $\pi^+ \pi^- \mu^+ \mu^-$ final state”, *Phys. Lett. B* **743** (2015) 46
73. R. Aaij *et al.* [LHCb Collaboration], “LHCb Detector Performance”, *Int. J. Mod. Phys. A* **30** (2015) 07, 1530022
74. R. Aaij *et al.* [LHCb Collaboration], “Search for long-lived particles decaying to jet pairs”, *Eur. Phys. J. C* **75** (2015) 4, 152
75. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the inelastic pp cross-section at a centre-of-mass energy of $\sqrt{s} = 7$ TeV”, *JHEP* **1502** (2015) 129
76. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the lifetime of the B_c^+ meson using the $B_c^+ \rightarrow J/\psi \pi^+$ decay mode”, *Phys. Lett. B* **742** (2015) 29
77. R. Aaij *et al.* [LHCb Collaboration], “Observation of two new Ξ_b^- baryon resonances”, *Phys. Rev. Lett.* **114** (2015) 062004
78. V. Khachatryan *et al.* [CMS and LHCb Collaborations], “Observation of the rare $B_s^0 \rightarrow \mu^+ \mu^-$ decay from the combined analysis of CMS and LHCb data”, *Nature* **522** (2015) 68
79. R. Aaij *et al.* [LHCb Collaboration], “Precision measurement of CP violation in $B_s^0 \rightarrow J/\psi K^+ K^-$ decays”, *Phys. Rev. Lett.* **114** (2015) 4, 041801
80. R. Aaij *et al.* [LHCb Collaboration], “Measurement of B_c^+ production in proton-proton collisions at $\sqrt{s} = 8$ TeV”, *Phys. Rev. Lett.* **114** (2015) 13, 132001
81. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the CP -violating phase β in $B^0 \rightarrow J/\psi \pi^+ \pi^-$ decays and limits on penguin effects”, *Phys. Lett. B* **742** (2015) 38
82. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the Z +b-jet cross-section in pp collisions at $\sqrt{s} = 7$ TeV in the forward region”, *JHEP* **1501** (2015) 064
83. R. Aaij *et al.* [LHCb Collaboration], “Study of $\eta - \eta'$ mixing from measurement of $B_{(s)}^0 \rightarrow J/\psi \eta^{(\prime)}$ decay rates”, *JHEP* **1501** (2015) 024

84. R. Aaij *et al.* [LHCb Collaboration], “Search for CP violation in $D^0 \rightarrow \pi^- \pi^+ \pi^0$ decays with the energy test”, Phys. Lett. B **740** (2015) 158
85. R. Aaij *et al.* [LHCb Collaboration], “Precision luminosity measurements at LHCb”, JINST **9** (2014) 12, P12005
86. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the semileptonic CP asymmetry in $B^0 - \bar{B}^0$ mixing”, Phys. Rev. Lett. **114** (2015) 041601
87. R. Aaij *et al.* [LHCb Collaboration], “Precision Measurement of the Mass and Lifetime of the Ξ_b^- Baryon”, Phys. Rev. Lett. **113** (2014) 24, 242002
88. R. Aaij *et al.* [LHCb Collaboration], “Search for the lepton flavour violating decay $\tau^- \rightarrow \mu^- \mu^+ \mu^-$ ”, JHEP **1502** (2015) 121
89. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the CP -violating phase ϕ_s in $\bar{B}_s^0 \rightarrow D_s^+ D_s^-$ decays”, Phys. Rev. Lett. **113** (2014) 21, 211801
90. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the $\eta_c(1S)$ production cross-section in proton-proton collisions via the decay $\eta_c(1S) \rightarrow p\bar{p}$ ”, Eur. Phys. J. C **75** (2015) 7, 311
91. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the $\chi_b(3P)$ mass and of the relative rate of $\chi_{b1}(1P)$ and $\chi_{b2}(1P)$ production”, JHEP **1410** (2014) 88
92. R. Aaij *et al.* [LHCb Collaboration], “Measurements of CP violation in the three-body phase space of charmless B^\pm decays”, Phys. Rev. D **90** (2014) 11, 112004
93. R. Aaij *et al.* [LHCb Collaboration], “Determination of γ and $-2\beta_s$ from charmless two-body decays of beauty mesons”, Phys. Lett. B **741** (2015) 1
94. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the forward W boson cross-section in pp collisions at $\sqrt{s} = 7$ TeV”, JHEP **1412** (2014) 079
95. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the CKM angle γ using $B^\pm \rightarrow DK^\pm$ with $D \rightarrow K_S^0 \pi^+ \pi^-$, $K_S^0 K^+ K^-$ decays”, JHEP **1410** (2014) 97
96. R. Aaij *et al.* [LHCb Collaboration], “Search for CP violation using T -odd correlations in $D^0 \rightarrow K^+ K^- \pi^+ \pi^-$ decays”, JHEP **1410** (2014) 005
97. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the track reconstruction efficiency at LHCb”, JINST **10** (2015) 02, P02007
98. R. Aaij *et al.* [LHCb Collaboration], “First observations of the rare decays $B^+ \rightarrow K^+ \pi^+ \pi^- \mu^+ \mu^-$ and $B^+ \rightarrow \phi K^+ \mu^+ \mu^-$ ”, JHEP **1410** (2014) 064
99. R. Aaij *et al.* [LHCb Collaboration], “Measurement of CP asymmetries in the decays $B^0 \rightarrow K^{*0} \mu^+ \mu^-$ and $B^+ \rightarrow K^+ \mu^+ \mu^-$ ”, JHEP **1409** (2014) 177
100. R. Aaij *et al.* [LHCb Collaboration], “First observation of a baryonic B_c^+ decay”, Phys. Rev. Lett. **113** (2014) 15, 152003
101. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the $\bar{B}^0 - B^0$ and $\bar{B}_s^0 - B_s^0$ production asymmetries in pp collisions at $\sqrt{s} = 7$ TeV”, Phys. Lett. B **739** (2014) 218
102. R. Aaij *et al.* [LHCb Collaboration], “Measurement of CP violation parameters in $B^0 \rightarrow DK^{*0}$ decays”, Phys. Rev. D **90** (2014) 11, 112002
103. R. Aaij *et al.* [LHCb Collaboration], “Study of χ_b meson production in pp “ Eur. Phys. J. C **74** (2014) 10, 3092
104. R. Aaij *et al.* [LHCb Collaboration], “Dalitz plot analysis of $B_s^0 \rightarrow \bar{D}^0 K^- \pi^+$ decays”, Phys. Rev. D **90** (2014) 7, 072003
105. R. Aaij *et al.* [LHCb Collaboration], “Observation of $B_s^0 \rightarrow K^{*\pm} K^\mp$ and evidence for $B_s^0 \rightarrow K^{*-} \pi^+$ decays”, New J. Phys. **16** (2014) 12, 123001

106. R. Aaij *et al.* [LHCb Collaboration], “Observation of overlapping spin-1 and spin-3 $\bar{D}^0 K^-$ resonances at mass $2.86\text{GeV}/c^2$ ”, Phys. Rev. Lett. **113** (2014) 162001
107. R. Aaij *et al.* [LHCb Collaboration], “Measurement of CP violation and constraints on the CKM angle γ in $B^\pm \rightarrow DK^\pm$ with $D \rightarrow K_S^0 \pi^+ \pi^-$ decays”, Nucl. Phys. B **888** (2014) 169
108. R. Aaij *et al.* [LHCb Collaboration], “Measurement of CP asymmetry in $B_s^0 \rightarrow D_s^\mp K^\pm$ decays”, JHEP **1411** (2014) 060
109. R. Aaij *et al.* [LHCb Collaboration], “Observation of charmonium pairs produced exclusively in pp collisions”, J. Phys. G **41** (2014) 11, 115002
110. R. Aaij *et al.* [LHCb Collaboration], “Evidence for CP Violation in $B^+ \rightarrow p\bar{p}K^+$ Decays”, Phys. Rev. Lett. **113** (2014) 14, 141801
111. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the \bar{B}_s^0 meson lifetime in $D_s^+ \pi^-$ decays”, Phys. Rev. Lett. **113** (2014) 17, 172001
112. R. Aaij *et al.* [LHCb Collaboration], “Measurement of CP violation in $B_s^0 \rightarrow \phi\phi$ decays”, Phys. Rev. D **90** (2014) 5, 052011
113. A. J. Bevan *et al.* [BaBar and Belle Collaborations], “The Physics of the B Factories”, Eur. Phys. J. C **74** (2014) 3026
114. R. Aaij *et al.* [LHCb Collaboration], “Observation of Z production in proton-lead collisions at LHCb”, JHEP **1409** (2014) 030
115. R. Aaij *et al.* [LHCb Collaboration], “Search for CP violation in $D^\pm \rightarrow K_S^0 K^\pm$ and $D_s^\pm \rightarrow K_S^0 \pi^\pm$ decays”, JHEP **1410** (2014) 25
116. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the Ξ_b^- and Ω_b^- baryon lifetimes”, Phys. Lett. B **736** (2014) 154
117. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the ratio of B_c^+ branching fractions to $J/\psi\pi^+$ and $J/\psi\mu^+\nu_\mu$ ”, Phys. Rev. D **90** (2014) 032009
118. R. Aaij *et al.* [LHCb Collaboration], “Effective lifetime measurements in the $B_s^0 \rightarrow K^+ K^-$, $B^0 \rightarrow K^+ \pi^-$ and $B_s^0 \rightarrow \pi^+ K^-$ decays”, Phys. Lett. B **736** (2014) 446
119. R. Aaij *et al.* [LHCb Collaboration], “First measurement of the charge asymmetry in beauty-quark pair production at a hadron collider”, Phys. Rev. Lett. **113** (2014) 082003
120. R. Aaij *et al.* [LHCb Collaboration], “Observation of the $\Lambda_b^0 \rightarrow J/\psi p \pi^-$ decay”, JHEP **1407** (2014) 103
121. R. Aaij *et al.*, “Performance of the LHCb Vertex Locator”, JINST **9** (2014) 09007
122. R. Aaij *et al.* [LHCb Collaboration], “Precision measurement of the mass and lifetime of the Ξ_b^0 baryon”, Phys. Rev. Lett. **113** (2014) 032001
123. R. Aaij *et al.* [LHCb Collaboration], “Study of the kinematic dependences of Λ_b^0 production in pp collisions and a measurement of the $\Lambda_b^0 \rightarrow \Lambda_c^+ \pi^-$ branching fraction”, JHEP **1408** (2014) 143
124. R. Aaij *et al.* [LHCb Collaboration], “Study of Υ production and cold nuclear matter effects in $p\text{Pb}$ collisions at $\sqrt{s_{NN}} = 5$ TeV”, JHEP **1407** (2014) 094
125. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the CP -violating phase ϕ_s in $\bar{B}_s^0 \rightarrow J/\psi \pi^+ \pi^-$ decays”, Phys. Lett. B **736** (2014) 186
126. R. Aaij *et al.* [LHCb Collaboration], “Observation of the $B_s^0 \rightarrow J/\psi K_S^0 K^\pm \pi^\mp$ decay”, JHEP **1407** (2014) 140
127. R. Aaij *et al.* [LHCb Collaboration], “Measurement of CP asymmetry in $D^0 \rightarrow K^- K^+$ and $D^0 \rightarrow \pi^- \pi^+$ decays”, JHEP **1407** (2014) 041

128. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the Ξ_b^- and Ω_b^- baryon lifetimes”, Phys. Lett. B **736** (2014) 154
129. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the resonant and CP components in $\overline{B}^0 \rightarrow J/\psi\pi^+\pi^-$ decays”, Phys. Rev. D **90** (2014) 012003
130. R. Aaij *et al.* [LHCb Collaboration], “Observation of the resonant character of the $Z(4430)^-$ state”, Phys. Rev. Lett. **112** (2014) 222002
131. R. Aaij *et al.* [LHCb Collaboration], “Evidence for the decay $B_c^+ \rightarrow J/\psi 3\pi^+ 2\pi^-$ ”, JHEP **1405** (2014) 148
132. R. Aaij *et al.* [LHCb Collaboration], “Evidence for the decay $X(3872) \rightarrow \psi(2S)\gamma$ ”, Nucl. Phys. B **886** (2014) 665
133. R. Aaij *et al.* [LHCb Collaboration], “Angular analysis of charged and neutral $B \rightarrow K\mu^+\mu^-$ decays”, JHEP **1405** (2014) 082
134. R. Aaij *et al.* [LHCb Collaboration], “Differential branching fractions and isospin asymmetries of $B \rightarrow K^{(*)}\mu^+\mu^-$ decays”, JHEP **1406** (2014) 133
135. R. Aaij *et al.* [LHCb Collaboration], “Study of beauty hadron decays into pairs of charm hadrons”, Phys. Rev. Lett. **112** (2014) 202001
136. R. Aaij *et al.* [LHCb Collaboration], “Measurement of polarization amplitudes and CP asymmetries in $B^0 \rightarrow \phi K^*(892)^0$ ”, JHEP **1405** (2014) 069
137. R. Aaij *et al.* [LHCb Collaboration], “Measurement of $\psi(2S)$ polarisation in pp collisions at $\sqrt{s} = 7$ TeV”, Eur. Phys. J. C **74** (2014) 2872
138. R. Aaij *et al.* [LHCb Collaboration], “Observation of photon polarization in the $b \rightarrow s\gamma$ transition”, Phys. Rev. Lett. **112** (2014) 161801
139. R. Aaij *et al.* [LHCb Collaboration], “Measurement of resonant and CP components in $\overline{B}_s^0 \rightarrow J/\psi\pi^+\pi^-$ decays”, Phys. Rev. D **89** (2014) 092006
140. R. Aaij *et al.* [LHCb Collaboration], “Precision measurement of the ratio of the Λ_b^0 to \overline{B}^0 lifetimes”, Phys. Lett. B **734** (2014) 122
141. R. Aaij *et al.* [LHCb Collaboration], “Measurement of charged particle multiplicities and densities in pp collisions at $\sqrt{s} = 7$ TeV in the forward region”, Eur. Phys. J. C **74** (2014) 2888
142. R. Aaij *et al.* [LHCb Collaboration], “A study of CP violation in $B^\pm \rightarrow DK^\pm$ and $B^\pm \rightarrow D\pi^\pm$ decays with $D \rightarrow K_S^0 K^\pm \pi^\mp$ final states”, Phys. Lett. B **733** (2014) 36
143. R. Aaij *et al.* [LHCb Collaboration], “Measurements of the B^+, B^0, B_s^0 meson and Λ_b^0 baryon lifetimes”, JHEP **1404** (2014) 114
144. R. Aaij *et al.* [LHCb Collaboration], “Measurement of Υ production in pp collisions at $\sqrt{s} = 2.76$ TeV”, Eur. Phys. J. C **74** (2014) 2835
145. R. Aaij *et al.* [LHCb Collaboration], “Searches for Λ_b^0 and Ξ_b^0 decays to $K_S^0 p \pi^-$ and $K_S^0 p K^-$ final states with first observation of the $\Lambda_b^0 \rightarrow K_S^0 p \pi^-$ ”, JHEP **1404** (2014) 087
146. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the B_c^+ meson lifetime using $B_c^+ \rightarrow J/\psi\mu^+\nu_\mu X$ decays”, Eur. Phys. J. C **74** (2014) 2839
147. R. Aaij *et al.* [LHCb Collaboration], “Search for Majorana neutrinos in $B^- \rightarrow \pi^+\mu^-\mu^-$ decays”, Phys. Rev. Lett. **112** (2014) 131802
148. R. Aaij *et al.* [LHCb Collaboration], “Updated measurements of exclusive J/ψ and $\psi(2S)$ production cross-sections in pp collisions at $\sqrt{s} = 7$ TeV”, J. Phys. G **41** (2014) 055002

149. R. Aaij *et al.* [LHCb Collaboration], “Observation of associated production of a Z boson with a D meson in the forward region”, JHEP **1404** (2014) 091
150. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the $\bar{B}_s^0 \rightarrow D_s^- D_s^+$ and $\bar{B}_s^0 \rightarrow D^- D_s^+$ effective lifetimes”, Phys. Rev. Lett. **112** (2014) 111802
151. R. Aaij *et al.* [LHCb Collaboration], “Studies of beauty baryon decays to $D^0 p h^-$ and $\Lambda_c^+ h^-$ final states”, Phys. Rev. D **89** (2014) 032001
152. R. Aaij *et al.* [LHCb Collaboration], “Study of forward Z + jet production in pp collisions at $\sqrt{s} = 7$ TeV”, JHEP **1401** (2014) 033
153. R. Aaij *et al.* [LHCb Collaboration], “Search for CP violation in the decay $D^+ \rightarrow \pi^- \pi^+ \pi^+$ ”, Phys. Lett. B **728** (2014) 585
154. R. Aaij *et al.* [LHCb Collaboration], “Measurements of indirect CP asymmetries in $D^0 \rightarrow K^- K^+$ and $D^0 \rightarrow \pi^- \pi^+$ decays”, Phys. Rev. Lett. **112** (2014) 4, 041801
155. R. Aaij *et al.* [LHCb Collaboration], “Measurement of CP violation in the phase space of $B^\pm \rightarrow K^+ K^- \pi^\pm$ and $B^\pm \rightarrow \pi^+ \pi^- \pi^\pm$ decays”, Phys. Rev. Lett. **112** (2014) 1, 011801
156. R. Aaij *et al.* [LHCb Collaboration], “Search for the decay $D^0 \rightarrow \pi^+ \pi^- \mu^+ \mu^-$ ”, Phys. Lett. B **728** (2014) 234
157. R. Aaij *et al.* [LHCb Collaboration], “Observation of $B_c^0 \rightarrow J/\psi f_1(1285)$ decays and measurement of the $f_1(1285)$ mixing angle”, Phys. Rev. Lett. **112** (2014) 091802
158. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the flavour-specific CP-violating asymmetry a_{sl}^s in B_s^0 decays”, Phys. Lett. B **728** (2014) 607
159. R. Aaij *et al.* [LHCb Collaboration], “Search for the doubly charmed baryon Ξ_{cc}^+ ”, JHEP **1312** (2013) 090
160. R. Aaij *et al.* [LHCb Collaboration], “Measurement of D0-D0bar mixing parameters and search for CP violation using $D^0 \rightarrow K^+ \pi^-$ decays”, Phys. Rev. Lett. **111** (2013) 251801
161. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the charge asymmetry in $B^\pm \rightarrow \phi K^\pm$ and search for $B^\pm \rightarrow \phi \pi^\pm$ decays”, Phys. Lett. B **728** (2014) 85
162. R. Aaij *et al.* [LHCb Collaboration], “Observation of the decay $B_c \rightarrow J/\psi K^+ K^- \pi^+$ ”, JHEP **1311** (2013) 094
163. R. Aaij *et al.* [LHCb Collaboration], “Study of J/ψ production and cold nuclear matter effects in pPb collisions at $\sqrt{s_{NN}} = 5$ TeV”, JHEP **1402** (2014) 072
164. R. Aaij *et al.* [LHCb Collaboration], “First observation of $\bar{B}^0 \rightarrow J/\psi K^+ K^-$ and search for $\bar{B}^0 \rightarrow J/\psi \phi$ decays”, Phys. Rev. D **88** (2013) 7, 072005
165. R. Aaij *et al.* [LHCb Collaboration], “Observation of the decay $B_s^0 \rightarrow \bar{D}^0 \phi$ ”, Phys. Lett. B **727** (2013) 403
166. R. Aaij *et al.* [LHCb Collaboration], “Observation of the Decay $B_c^+ \rightarrow B_s^0 \pi^+$ ”, Phys. Rev. Lett. **111** (2013) 18, 181801
167. R. Aaij *et al.* [LHCb Collaboration], “Model-independent search for CP violation in $D^0 \rightarrow K^- K^+ \pi^- \pi^+$ and $D^0 \rightarrow \pi^- \pi^+ \pi^+ \pi^-$ decays”, Phys. Lett. B **726** (2013) 623
168. P. Krokovny *et al.* [Belle Collaboration], “First observation of the $Z_b^0(10610)$ in a Dalitz analysis of $\Upsilon(10860) \rightarrow \Upsilon(nS) \pi^0 \pi^0$ ”, Phys. Rev. D **88** (2013) 5, 052016
169. R. Aaij *et al.* [LHCb Collaboration], “Measurement of Form-Factor-Independent Observables in the Decay $B^0 \rightarrow K^{*0} \mu^+ \mu^-$ ”, Phys. Rev. Lett. **111** (2013) 19, 191801

170. R. Aaij *et al.* [LHCb Collaboration], “First measurement of time-dependent CP violation in $B_s^0 \rightarrow K^+K^-$ decays”, JHEP **1310** (2013) 183
171. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the CP asymmetry in $B^+ \rightarrow K^+\mu^+\mu^-$ decays”, Phys. Rev. Lett. **111** (2013) 15, 151801
172. R. Aaij *et al.* [LHCb Collaboration], “Observation of B_s^0 - \bar{B}_s^0 mixing and measurement of mixing frequencies using semileptonic B decays”, Eur. Phys. J. C **73** (2013) 2655
173. R. Aaij *et al.* [LHCb Collaboration], “Branching fraction and CP asymmetry of the decays $B^+ \rightarrow K_S^0\pi^+$ and $B^+ \rightarrow K_S^0K^+$ ”, Phys. Lett. B **726** (2013) 646
174. R. Aaij *et al.* [LHCb Collaboration], “First evidence for the two-body charmless baryonic decay $B^0 \rightarrow p\bar{p}$ ”, JHEP **1310** (2013) 005
175. R. Aaij *et al.* [LHCb Collaboration], “Study of $B_{(s)}^0 \rightarrow K_S^0 h^+ h'^-$ decays with first observation of $B_s^0 \rightarrow K_S^0 K^\pm \pi^\mp$ and $B_s^0 \rightarrow K_S^0 \pi^+ \pi^-$ ”, JHEP **1310** (2013) 143
176. R. Aaij *et al.* [LHCb Collaboration], “Observation of a resonance in $B^+ \rightarrow K^+\mu^+\mu^-$ decays at low recoil”, Phys. Rev. Lett. **111** (2013) 11, 112003
177. R. Aaij *et al.* [LHCb Collaboration], “Measurement of J/ψ polarization in pp collisions at $\sqrt{s} = 7$ TeV”, Eur. Phys. J. C **73** (2013) 2631
178. R. Aaij *et al.* [LHCb Collaboration], “Studies of the decays $B^+ \rightarrow p\bar{p}h^+$ and observation of $B^+ \rightarrow \bar{\Lambda}(1520)p$ ”, Phys. Rev. D **88** (2013) 5, 052015
179. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the $B_s^0 \rightarrow \mu^+\mu^-$ branching fraction and search for $B^0 \rightarrow \mu^+\mu^-$ decays Phys. Rev. Lett. **111** (2013) 101805
180. R. Aaij *et al.* [LHCb Collaboration], “Search for the lepton-flavor violating decays $B_s^0 \rightarrow e^\pm\mu^\mp$ and $B^0 \rightarrow e^\pm\mu^\mp$ ”, Phys. Rev. Lett. **111** (2013) 14, 141801
181. R. Aaij *et al.* [LHCb Collaboration], “Study of D_J meson decays to $D^+\pi^-$, $D^0\pi^+$ and $D^{*+}\pi^-$ final states in pp collision”, JHEP **1309** (2013) 145
182. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the relative rate of prompt χ_{c0} , χ_{c1} and χ_{c2} production at $\sqrt{s} = 7\text{TeV}$ ”, JHEP **1310** (2013) 115
183. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the polarization amplitudes in $B^0 \rightarrow J/\psi K^*(892)^0$ decays”, Phys. Rev. D **88** (2013) 052002
184. R. Aaij *et al.* [LHCb Collaboration], “Precision measurement of the Λ_b^0 baryon lifetime”, Phys. Rev. Lett. **111** (2013) 102003
185. R. Aaij *et al.* [LHCb Collaboration], “First observation of the decay $B_c^+ \rightarrow J/\psi K^+$ ”, JHEP **1309** (2013) 075
186. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the differential branching fraction of the decay $\Lambda_b^0 \rightarrow \Lambda\mu^+\mu^-$ ”, Phys. Lett. B **725** (2013) 25
187. R. Aaij *et al.* [LHCb Collaboration], “First observation of the decay $B_s^0 \rightarrow \phi\bar{K}^{*0}$ ”, JHEP **1311** (2013) 092
188. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the CKM angle γ from a combination of $B^\pm \rightarrow Dh^\pm$ analyses”, Phys. Lett. B **726** (2013) 151
189. B. H. Kim *et al.* [Belle Collaboration], “Search for an H -dibaryon with mass near $2m_\Lambda$ in $\Upsilon(1S)$ and $\Upsilon(2S)$ decays”, Phys. Rev. Lett. **110** (2013) 22, 222002
190. S. Schael *et al.* [ALEPH and DELPHI and L3 and OPAL and LEP Electroweak Collaborations], “Electroweak Measurements in Electron-Positron Collisions at W-Boson-Pair Energies at LEP”, Phys. Rept. **532** (2013) 119

191. I. Adachi *et al.* [Belle Collaboration], “Measurement of the CP violation parameters in $B^0 \rightarrow \pi^+\pi^-$ decays”, Phys. Rev. D **88** (2013) 9, 092003
192. R. Aaij *et al.* [LHCb Collaboration], “Observation of a resonance in $B^+ \rightarrow K^+\mu^+\mu^-$ decays at low recoil”, Phys. Rev. Lett. **111**, 112003 (2013) Phys. Rev. Lett. **111** (2013) 11, 112003
193. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the $B_s^0 \rightarrow \mu^+\mu^-$ branching fraction and search for $B^0 \rightarrow \mu^+\mu^-$ decays at the LHCb experiment”, Phys. Rev. Lett. **111** (2013) 101805
194. R. Aaij *et al.* [LHCb Collaboration], “Searches for $B_{(s)}^0 \rightarrow J/\psi p\bar{p}$ and $B^+ \rightarrow J/\psi p\bar{p}\pi^+$ decays”, JHEP **1309** (2013) 006
195. R. Aaij *et al.* [LHCb Collaboration], “Measurement of B meson production cross-sections in proton-proton collisions at $\sqrt{s} = 7$ TeV”, JHEP **1308** (2013) 117
196. R. Aaij *et al.* [LHCb Collaboration], “Measurement of CP violation in the phase space of $B^\pm \rightarrow K^\pm\pi^+\pi^-$ and $B^\pm \rightarrow K^\pm K^+K^-$ decays”, Phys. Rev. Lett. **111** (2013) 101801
197. R. Aaij *et al.* [LHCb Collaboration], “Observation of $B_s^0 \rightarrow \chi_{c1}\phi$ decay and study of $B^0 \rightarrow \chi_{c1,2}K^{*0}$ decays”, Nucl. Phys. B **874** (2013) 663
198. R. Aaij *et al.* [LHCb Collaboration], “Search for the rare decay $D^0 \rightarrow \mu^+\mu^-$ ”, Phys. Lett. B **725** (2013) 15
199. R. Aaij *et al.* [LHCb Collaboration], “Differential branching fraction and angular analysis of the decay $B_s^0 \rightarrow \phi\mu^+\mu^-$ ”, JHEP **1307** (2013) 084
200. R. Aaij *et al.* [LHCb Collaboration], “Production of J/psi and Upsilon mesons in pp collisions at $\sqrt{s} = 8$ TeV”, JHEP **1306** (2013) 064
201. R. Aaij *et al.* [LHCb Collaboration], “Precision measurement of D meson mass differences”, JHEP **1306** (2013) 065
202. R. Aaij *et al.* [LHCb Collaboration], “Search for $D^+(s)$ to $\pi^+\mu^+\mu^-$ and $D^+(s)$ to $\pi^-\mu^+\mu^+$ decays”, Phys. Lett. B **724** (2013) 203
203. R. Aaij *et al.* [LHCb Collaboration], “Differential branching fraction and angular analysis of the decay $B^0 \rightarrow K^{*0}\mu^+\mu^-$ ”, JHEP **1308** (2013) 131
204. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the branching fractions of the decays $B_s^0 \rightarrow \bar{D}^0 K^-\pi^+$ and $B^0 \rightarrow \bar{D}^0 K^+\pi^-$ ”, Phys. Rev. D **87** (2013) 112009
205. R. Aaij *et al.* [LHCb Collaboration], “First observation of CP violation in the decays of B_s^0 mesons”, Phys. Rev. Lett. **110** (2013) 221601
206. R. Aaij *et al.* [LHCb Collaboration], “Precision measurement of the B_s^0 - \bar{B}_s^0 oscillation frequency with the decay $B_s^0 \rightarrow D_s^-\pi^+$ ”, New J. Phys. **15** (2013) 053021
207. R. Aaij *et al.* [LHCb Collaboration], “Observation of $B_c^+ \rightarrow J/\psi D_s^+$ and $B_c^+ \rightarrow J/\psi D_s^{*+}$ decays”, Phys. Rev. D **87** (2013) 112012
208. R. Aaij *et al.* [LHCb Collaboration], “Searches for violation of lepton flavour and baryon number in tau lepton decays at LHCb”, Phys. Lett. B **724** (2013) 36
209. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the effective $B_s^0 \rightarrow J/\psi K_S^0$ lifetime”, Nuclear Physics, Section B **873** (2013) , pp. 275
210. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the $B^0 \rightarrow K^{*0}e^+e^-$ branching fraction at low dilepton mass”, JHEP **1305** (2013) 159
211. R. Aaij *et al.* [LHCb Collaboration], “Measurement of CP violation and the B_s^0 meson decay width difference with $B_s^0 \rightarrow J/\psi K^+K^-$ and $B_s^0 \rightarrow J/\psi\pi^+\pi^-$ decays”, Phys. Rev. D **87** (2013) 112010

212. R. Aaij *et al.* [LHCb Collaboration], “Limits on neutral Higgs boson production in the forward region in pp collisions at $\sqrt{s} = 7$ TeV”, *JHEP* **1305** (2013) 132
213. R. Aaij *et al.* [LHCb Collaboration], “Measurements of the branching fractions of $B^+ \rightarrow p\bar{p}K^+$ decays”, *Eur. Phys. J. C* **73** (2013) 2462
214. R. Aaij *et al.* [LHCb Collaboration], “First measurement of the CP-violating phase in $B_s^0 \rightarrow \phi\phi$ decays”, *Phys. Rev. Lett.* **110** (2013) 241802
215. R. Aaij *et al.* [LHCb Collaboration], “Study of $B^0 \rightarrow D^{*-}\pi^+\pi^-\pi^+$ and $B^0 \rightarrow D^{*-}K^+\pi^-\pi^+$ decays”, *Phys. Rev. D* **87** (2013) 092001
216. R. Aaij *et al.* [LHCb Collaboration], “Search for CP violation in $D^+ \rightarrow \phi\pi^+$ and $D_s^+ \rightarrow K_S^0\pi^+$ decays”, *JHEP* **1306** (2013) 112
217. R. Aaij *et al.* [LHCb Collaboration], “Observation of the suppressed ADS modes $B^\pm \rightarrow [\pi^\pm K^\mp \pi^+ \pi^-]_D K^\pm$ and $B^\pm \rightarrow [\pi^\pm K^\mp \pi^+ \pi^-]_D \pi^\pm$ ”, *Phys. Lett. B* **723** (2013) 44
218. R. Aaij *et al.* [LHCb Collaboration], “Search for direct CP violation in $D^0 \rightarrow h^- h^+$ modes using semileptonic B decays”, *Phys. Lett. B* **723** (2013) 33
219. R. Aaij *et al.* [LHCb Collaboration], “Observation of the decay $B_c^+ \rightarrow \psi(2S)\pi^+$ ”, *Phys. Rev. D* **87** (2013) 071103
220. R. Aaij *et al.* [LHCb Collaboration], “Search for rare $B_{(s)}^0 \rightarrow \mu^+\mu^-\mu^+\mu^-$ decays”, *Phys. Rev. Lett.* **110** (2013) 211801
221. R. Aaij *et al.* [LHCb Collaboration], “Search for the decay $B_s^0 \rightarrow D^{*\mp}\pi^\pm$ ”, *Phys. Rev. D* **87** (2013) 071101
222. R. Aaij *et al.* [LHCb Collaboration], “Observations of $B_s^0 \rightarrow \psi(2S)\eta$ and $B_{(s)}^0 \rightarrow \psi(2S)\pi^+\pi^-$ decays”, *Nucl. Phys. B* **871** (2013) 403
223. R. Aaij *et al.* [LHCb Collaboration], “Determination of the X(3872) meson quantum numbers”, *Phys. Rev. Lett.* **110** (2013) 222001
224. R. Aaij *et al.* [LHCb Collaboration], “First observations of $\bar{B}_s^0 \rightarrow D^+D^-$, $D_s^+D^-$ and $D^0\bar{D}^0$ decays”, *Phys. Rev. D* **87** (2013) 092007
225. R. Aaij *et al.* [LHCb Collaboration], “Measurements of the $\Lambda_b^0 \rightarrow J/\psi\Lambda$ decay amplitudes and the Λ_b^0 polarisation in pp collisions at $\sqrt{s} = 7$ TeV”, *Phys. Lett. B* **724** (2013) 27
226. R. Aaij *et al.* [LHCb Collaboration], “Prompt charm production in pp collisions at $\sqrt{s} = 7$ TeV”, *Nucl. Phys. B* **871** (2013) 1
227. R. Aaij *et al.* [LHCb Collaboration], “Amplitude analysis and the branching fraction measurement of $\bar{B}_s^0 \rightarrow J/\psi K^+ K^-$ ”, *Phys. Rev. D* **87** (2013) 072004
228. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the Λ_b^0 , Ξ_b^- and Ω_b^- baryon masses”, *Phys. Rev. Lett.* **110** (2013) 182001
229. R. Aaij *et al.* [LHCb Collaboration], “Exclusive J/ψ and $\psi(2S)$ production in pp collisions at $\sqrt{s} = 7$ TeV”, *J. Phys. G* **40** (2013) 045001
230. G. Abbiendi *et al.* [ALEPH and DELPHI and L3 and OPAL and LEP Collaborations], “Search for Charged Higgs bosons: Combined Results Using LEP Data”, *Eur. Phys. J. C* **73** (2013) 2463
231. R. Aaij *et al.* [LHCb Collaboration], “Analysis of the resonant components in $B^0 \rightarrow J/\psi \pi^+\pi^-$ ”, *Phys. Rev. D* **87** (2013) 5, 052001
232. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the fragmentation fraction ratio f_s/f_d and its dependence on B meson kinematics”, *JHEP* **1304** (2013) 001

233. D. Liventsev *et al.* [Belle Collaboration], “Search for heavy neutrinos at Belle”, *Phys. Rev. D* **87** (2013) 071102
234. R. Aaij *et al.* [LHCb Collaboration], “Measurement of CP observables in $B^0 \rightarrow DK^{*0}$ with $D \rightarrow K^+K^-$ ”, *JHEP* **1303** (2013) 067
235. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the forward energy flow in pp collisions at $\sqrt{s} = 7$ TeV”, *Eur. Phys. J. C* **73** (2013) 2421
236. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the cross-section for $Z \rightarrow e^+e^-$ production in pp collisions at $\sqrt{s} = 7$ TeV”, *JHEP* **1302** (2013) 106
237. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the time-dependent CP asymmetry in $B^0 \rightarrow J/\psi K_S^0$ decays”, *Phys. Lett. B* **721** (2013) 24
238. R. Aaij *et al.* [LHCb Collaboration], “First observation of the decay $B_{s2}^*(5840)^0 \rightarrow B^{*+}K^-$ and studies of excited B_s^0 mesons”, *Phys. Rev. Lett.* **110** (2013) 151803
239. R. Aaij *et al.* [LHCb Collaboration], “First Evidence for the Decay $B_s^0 \rightarrow \mu^+\mu^-$ ”, *Phys. Rev. Lett.* **110** (2013) 021801
240. R. Aaij *et al.* [LHCb Collaboration], “First observation of the decays $\bar{B}_{(s)}^0 \rightarrow D_s^+K^-\pi^+\pi^-$ and $\bar{B}_s^0 \rightarrow D_{s1}(2536)^+\pi^-$ ”, *Phys. Rev. D* **86** (2012) 112005
241. R. Aaij *et al.* [LHCb Collaboration], “Observation of $D^0 - \bar{D}^0$ oscillations”, *Phys. Rev. Lett.* **110** (2013) 101802
242. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the $B^0 - \bar{B}^0$ oscillation frequency Δm_d with the decays $B^0 \rightarrow D^-\pi^+$ and $B^0 \rightarrow J/\psi K^{*0}$ ”, *Phys. Lett. B* **719** (2013) 318
243. R. Aaij *et al.* [LHCb Collaboration], “A study of the Z production cross-section in pp collisions at $\sqrt{s} = 7$ TeV using tau final states”, *JHEP* **1301** (2013) 111
244. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the CP asymmetry in $B^0 \rightarrow K^{*0}\mu^+\mu^-$ decays”, *Phys. Rev. Lett.* **110** (2013) 031801
245. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the $D^{+/-}$ production asymmetry in 7 TeV pp collisions”, *Phys. Lett. B* **718** (2013) 902
246. R. Aaij *et al.* [LHCb Collaboration], “First observation of the decay $B^+ \rightarrow \pi^+\mu^+\mu^-$ ”, *JHEP* **1212** (2012) 125
247. R. Aaij *et al.* [LHCb Collaboration], “Evidence for the decay $B^0 \rightarrow J/\psi\omega$ and measurement of the relative branching fractions of B_s^0 meson decays to $J/\psi\eta$ and $J/\psi\eta'$ ”, *Nucl. Phys. B* **867** (2013) 547
248. R. Aaij *et al.* [LHCb Collaboration], “First evidence for the annihilation decay mode $B^+ \rightarrow D_s^+\phi$ ”, *JHEP* **1302** (2013) 043
249. R. Aaij *et al.* [LHCb Collaboration], “A model-independent Dalitz plot analysis of $B^\pm \rightarrow DK^\pm$ with $D \rightarrow K_S^0 h^+ h^-$ ($h = \pi, K$) decays and constraints on the CKM angle γ ”, *Phys. Lett. B* **718** (2012) 43
250. R. Aaij *et al.* [LHCb Collaboration], “Measurements of B_c^+ production and mass with the $B_c^+ \rightarrow J/\psi\pi^+$ decay”, *Phys. Rev. Lett.* **109** (2012) 232001
251. R. Aaij *et al.* [LHCb Collaboration], “Differential branching fraction and angular analysis of the $B^+ \rightarrow K^+\mu^+\mu^-$ decay”, *JHEP* **1302** (2013) 105
252. R. Aaij *et al.* [LHCb Collaboration], “Search for the rare decay $K_S \rightarrow \mu^+\mu^-$ ”, *JHEP* **1301** (2013) 090
253. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the ratio of branching fractions $BR(B^0 \rightarrow K^{*0}\gamma)/BR(B_s^0 \rightarrow \phi\gamma)$ and the direct CP asymmetry in $B^0 \rightarrow K^{*0}\gamma$ ”, *Nucl. Phys. B* **867** (2013) 1

254. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the fraction of $\Upsilon(1S)$ originating from $\chi_b(1P)$ decays in pp collisions at $\sqrt{s} = 7$ TeV”, JHEP **1211** (2012) 031
255. I. Adachi *et al.* [Belle Collaboration], “Measurement of $B^- \rightarrow \tau^- \bar{\nu}_\tau$ with a Hadronic Tagging Method Using the Full Data Sample of Belle”, Phys. Rev. Lett. **110** (2013) 131801
256. R. Aaij *et al.* [LHCb Collaboration], “Implications of LHCb measurements and future prospects”, Eur. Phys. J. C **73** (2013) 2373
257. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the $B_s^0 \rightarrow J/\psi K^{*0}$ branching fraction and angular amplitudes”, Phys. Rev. D **86** (2012) 071102
258. R. Aaij *et al.* [LHCb Collaboration], “Study of D_{sJ} decays to $D^+ K_s$ and $D^0 K^+$ final states in pp collisions”, JHEP **1210** (2012) 151
259. R. Aaij *et al.* [LHCb Collaboration], “Observation of the decay $B^0 \rightarrow \bar{D}^0 K^+ K^-$ and evidence for $B_s \rightarrow \bar{D}^0 K^+ K^-$ ”, Phys. Rev. Lett. **109** (2012) 131801
260. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the B_s effective lifetime in the $J/\psi f_0(980)$ final state”, Phys. Rev. Lett. **109** (2012) 152002
261. Y. Miyazaki *et al.* [Belle Collaboration], “Search for Lepton-Flavor-Violating and Lepton-Number-Violating $\tau \rightarrow \ell hh'$ Decay Modes”, Phys. Lett. B **719** (2013) 346
262. R. Aaij *et al.* [LHCb Collaboration], “Measurement of prompt hadron production ratios in pp collisions at $\sqrt{s} = 0.9$ and 7 TeV”, Eur. Phys. J. C **72** (2012) 2168
263. R. Aaij *et al.* [LHCb Collaboration], “Measurement of b -hadron branching fractions for two-body decays into charmless charged hadrons”, JHEP **1210** (2012) 037
264. R. Mizuk *et al.* [Belle Collaboration], “Evidence for the $\eta_b(2S)$ and observation of $h_b(1P) \rightarrow \eta_b(1S)\gamma$ and $h_b(2P) \rightarrow \eta_b(1S)\gamma$ ”, Phys. Rev. Lett. **109** (2012) 232002
265. J. Dalseno *et al.* [BELLE Collaboration], “Measurement of Branching Fraction and First Evidence of CP Violation in $B^0 \rightarrow a_1^\pm(1260)\pi^\mp$ Decays”, Phys. Rev. D **86** (2012) 092012
266. R. Aaij *et al.* [LHCb Collaboration], “Observation of excited Λ_b^0 baryons”, Phys. Rev. Lett. **109** (2012) 172003
267. R. Aaij *et al.* [LHCb Collaboration], “Measurement of relative branching fractions of B decays to $\psi(2S)$ and J/ψ mesons”, Eur. Phys. J. C **72** (2012) 2118
268. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the ratio of prompt χ_c to J/ψ production in pp collisions at $\sqrt{s} = 7$ TeV”, Phys. Lett. B **718** (2012) 431
269. R. Aaij *et al.* [LHCb Collaboration], “Measurement of $\psi(2S)$ meson production in pp collisions at $\sqrt{s}=7$ TeV”, Eur. Phys. J. C **72** (2012) 2100
270. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the effective $B_s^0 \rightarrow K^+ K^-$ lifetime”, Phys. Lett. B **716** (2012) 393
271. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the isospin asymmetry in $B \rightarrow K^{(*)}\mu^+\mu^-$ decays”, JHEP **1207** (2012) 133
272. C. P. Shen *et al.* [Belle Collaboration], “First observation of exclusive $\Upsilon(1S)$ and $\Upsilon(2S)$ decays into light hadrons”, Phys. Rev. D **86** (2012) 031102
273. R. Aaij *et al.* [LHCb Collaboration], “Observation of double charm production involving open charm in pp collisions at $\sqrt{s}=7$ TeV”, JHEP **1206** (2012) 141
274. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the $B_s^0 \rightarrow J/\psi K_S^0$ branching fraction”, Phys. Lett. B **713** (2012) 172
275. L. collaboration *et al.* [LHCb Collaboration], “Measurement of relative branching fractions of B decays to $\psi(2S)$ and J/ψ mesons”,

276. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the $D_s^+ - D_s^-$ production asymmetry in 7 TeV pp collisions”, Phys. Lett. B **713** (2012) 186
277. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the CP-violating phase ϕ_s in $B_s \rightarrow J/\psi\pi^+\pi^-$ decays”, Phys. Lett. B **713** (2012) 378
278. R. Aaij *et al.* [LHCb Collaboration], “Analysis of the resonant components in $B_s \rightarrow J/\psi\pi^+\pi^-$ ”, Phys. Rev. D **86**, **052006** (2012)
279. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the polarization amplitudes and triple product asymmetries in the $B_s^0 \rightarrow \phi\phi$ decay”, Phys. Lett. B **713** (2012) 369
280. R. Aaij *et al.* [LHCb Collaboration], “Inclusive W and Z production in the forward region at $\sqrt{s} = 7$ TeV”, JHEP **1206** (2012) 058
281. R. Aaij *et al.* [LHCb Collaboration], “Measurements of the branching fractions of the decays $B_s^0 \rightarrow D_s^\mp K^\pm$ and $B_s^0 \rightarrow D_s^- \pi^+$ ”, JHEP **1206** (2012) 115
282. R. Aaij *et al.* [LHCb Collaboration], “First observation of the decay $B_c^+ \rightarrow J/\psi\pi^+\pi^-\pi^+$ ”, Phys. Rev. Lett. **108** (2012) 251802
283. R. Aaij *et al.* [LHCb Collaboration], “Strong constraints on the rare decays $B_s \rightarrow \mu^+\mu^-$ and $B^0 \rightarrow \mu^+\mu^-$ ”, Phys. Rev. Lett. **108** (2012) 231801
284. P. Achard, O. Adriani, M. Aguilar-Benitez, J. Alcaraz, G. Alemanni, J. Allaby, A. Aloisio and M. G. Alvigi *et al.*, “Generalized event shape and energy flow studies in e+ e- annihilation at $\sqrt{s} = 91.2\text{-GeV} - 208.0\text{-GeV}$ ”, JHEP **1110** (2011) 143.
285. R. Aaij *et al.* [LHCb Collaboration], “Observation of CP violation in B^+ to DK^+ decays”, Phys. Lett. B **712** (2012) 203 [Erratum-ibid. B **713** (2012) 351]
286. R. Aaij *et al.* [LHCb Collaboration], “Measurements of the branching fractions and CP asymmetries of B^+ to $J/\psi\pi^+$ and B^+ to $\psi(2S)\pi^+$ decays”, Phys. Rev. D **85** (2012) 091105
287. T. Higuchi, K. Sumisawa, I. Adachi, H. Aihara, D. M. Asner, V. Aulchenko, T. Aushev and A. M. Bakich *et al.*, “Search for Time-Dependent CPT Violation in Hadronic and Semileptonic B Decays”, Phys. Rev. D **85** (2012) 071105
288. R. Aaij, *et al.* [LHCb Collaboration], “Measurement of Upsilon production in pp collisions at $\sqrt{s} = 7$ TeV”, Eur. Phys. J. C **72** (2012) 2025
289. R. Aaij, *et al.* [LHCb Collaboration], “Measurement of the ratio of branching fractions $\mathcal{B}(B^0 \rightarrow K^{*0}\gamma)/\mathcal{B}(B_s^0 \rightarrow \phi\gamma)$ ”, Phys. Rev. D **85** (2012) 112013
290. R. Aaij *et al.* [LHCb Collaboration], “First evidence of direct CP violation in charmless two-body decays of B_s mesons”, Phys. Rev. Lett. **108** (2012) 201601
291. R. Aaij *et al.* [LHCb Collaboration], “Search for the $X(4140)$ state in $B^+ \rightarrow J/\psi\phi K^+$ decays”, Phys. Rev. D **85** (2012) 091103
292. R. Aaij *et al.* [LHCb Collaboration], “Opposite-side flavour tagging of B mesons at the LHCb experiment”, Eur. Phys. J. C **72** (2012) 2022
293. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the B^{+-} production cross-section in pp collisions at $\sqrt{s}=7$ TeV”, JHEP **1204** (2012) 093
294. R. Aaij *et al.* [LHCb Collaboration], “Determination of the sign of the decay width difference in the B_s system”, Phys. Rev. Lett. **108** (2012) 241801
295. R. Aaij, *et al.* [LHCb Collaboration], “Measurement of the cross-section ratio $\sigma(\chi_{c2})/\sigma(\chi_{c1})$ for prompt χ_c production at $\sqrt{s} = 7$ TeV”, Phys. Lett. B **714** (2012) 215
296. R. Aaij *et al.* [LHCb Collaboration], “Searches for Majorana neutrinos in B- decays”, Phys. Rev. D **85** (2012) 112004

297. I. Adachi, H. Aihara, D. M. Asner, V. Aulchenko, T. Aushev, T. Aziz, A. M. Bakich and A. Bay *et al.*, “Precise measurement of the CP violation parameter $\sin 2\phi_1$ in $B^0 \rightarrow (c\bar{c})K^0$ decays”, Phys. Rev. Lett. **108** (2012) 171802
298. R. Aaij *et al.* [LHCb Collaboration], “First observation of the decays $\bar{B}^0 \rightarrow D^+K^-\pi^+\pi^-$ and $B^- \rightarrow D^0K^-\pi^+\pi^-$ ”, Phys. Rev. Lett. **108** (2012) 161801
299. R. Aaij *et al.* [LHCb Collaboration], “Observation of X(3872) production in pp collisions at $\sqrt{s}=7$ TeV”, Eur. Phys. J. C **72** (2012) 1972
300. R. Aaij *et al.* [LHCb Collaboration], “Measurement of b-hadron masses”, Phys. Lett. B **708** (2012) 241
301. R. Aaij *et al.* [LHCb Collaboration], “Measurement of charged particle multiplicities in pp collisions at $\sqrt{s}=7$ TeV in the forward region”, Eur. Phys. J. C **72** (2012) 1947
302. R. Aaij *et al.* [LHCb Collaboration], “Observation of $B_s \rightarrow J/\psi f'_2(1525)$ in $J/\psi K^+K^-$ final states”, Phys. Rev. Lett. **108** (2012) 151801
303. R. Aaij *et al.* [LHCb Collaboration], “Measurement of mixing and CP violation parameters in two-body charm decays”, JHEP **1204** (2012) 129
304. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the $B_s^0 - \bar{B}_s^0$ oscillation frequency Δm_s in $B_s^0 \rightarrow D_s^-(3)\pi$ decays”, Phys. Lett. B **709** (2012) 177
305. R. Aaij *et al.* [LHCb Collaboration], “Differential branching fraction and angular analysis of the decay $B^0 \rightarrow K^{*0}\mu^+\mu^-$ ”, Phys. Rev. Lett. **108** (2012) 181806
306. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the CP-violating phase ϕ_s in the decay $B_s \rightarrow J/\psi\phi$ ”, Phys. Rev. Lett. **108** (2012) 101803
307. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the CP violating phase ϕ_s in $\bar{B}_s^0 \rightarrow J/\psi f_0(980)$ ”, Phys. Lett. B **707** (2012) 497
308. R. Aaij *et al.* [LHCb Collaboration], “Search for the rare decays $B_s \rightarrow \mu^+\mu^-$ and $B^0 \rightarrow \mu^+\mu^-$ ”, Phys. Lett. B **708** (2012) 55
309. R. Aaij *et al.* [LHCb Collaboration], “Evidence for CP violation in time-integrated $D^0 \rightarrow h^-h^+$ decay rates”, Phys. Rev. Lett. **108** (2012) 111602
310. R. Aaij *et al.* [LHCb Collaboration], “First observation of the decay $B_s^0 \rightarrow K^{*0}\bar{K}^{*0}$ ”, Phys. Lett. B **709** (2012) 50
311. R. Aaij *et al.* [LHCb Collaboration], “Measurement of b hadron production fractions in 7 TeV pp collisions”, Phys. Rev. D **85** (2012) 032008
312. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the effective $B_s^0 \rightarrow K^+K^-$ lifetime”, Phys. Lett. B **707** (2012) 349
313. R. Aaij *et al.* [LHCb Collaboration], “Search for CP violation in $D^+ \rightarrow K^-K^+\pi^+$ decays”, Phys. Rev. D **84** (2011) 112008
314. R. Aaij *et al.* [LHCb Collaboration], “First observation of the decay $\bar{B}_s^0 \rightarrow D^0K^{*0}$ and a measurement of the ratio of branching fractions $\frac{\mathcal{B}(\bar{B}_s^0 \rightarrow D^0K^{*0})}{\mathcal{B}(\bar{B}^0 \rightarrow D^0\rho^0)}$ ”, Phys. Lett. B **706** (2011) 32
315. R. Aaij *et al.* [LHCb Collaboration], “Absolute luminosity measurements with the LHCb detector at the LHC”, JINST **7** (2012) P01010
316. R. Aaij *et al.* [LHCb Collaboration], “Search for the lepton number violating decays $B^+ \rightarrow \pi^-\mu^+\mu^+$ and $B^+ \rightarrow K^-\mu^+\mu^+$ ”, Phys. Rev. Lett. **108** (2012) 101601
317. M. Staric *et al.* [Belle Collaboration], “Search for CP Violation in D^\pm Meson Decays to $\phi\pi^\pm$ ”, Phys. Rev. Lett. **108** (2012) 071801

318. R. Aaij *et al.* [LHCb Collaboration], “Measurements of the Branching fractions for $B_s \rightarrow D_s \pi \pi \pi$ and $\Lambda_b^0 \rightarrow \Lambda_c^+ \pi \pi \pi$ ”, Phys. Rev. D **84** (2011) 092001 [Erratum-ibid. D **85** (2012) 039904]
319. D. Esperante *et al.* [LHCb Silicon Tracker Group Collaboration], “Installation and operation of the LHCb Silicon Tracker detector”, Nucl. Instrum. Meth. **623** (2010) 210.
320. R. Aaij *et al.* [LHCb Collaboration], “Observation of J/ψ pair production in pp collisions at $\sqrt{s} = 7\text{TeV}$ ”, Phys. Lett. B **707** (2012) 52
321. R. Aaij *et al.* [LHCb Collaboration], “Measurement of the inclusive phi cross-section in pp collisions at $\sqrt{s} = 7\text{TeV}$ ”, Phys. Lett. B **703** (2011) 267
322. A. Gallas, A. Bay, F. Blanc, M. O. Bettler, G. Conti, V. Fave, R. Frei and N. Gueissaz *et al.*, “First operational experience from the LHCb silicon tracker”, Nucl. Instrum. Meth. A **636** (2011) S182.
323. R. Aaij *et al.* [LHCb Collaboration], “Measurement of V^0 production ratios in pp collisions at $\sqrt{s} = 0.9$ and 7TeV ”, JHEP **1108** (2011) 034
324. E. Won *et al.* [Belle Collaboration], “Observation of $D^+ \rightarrow K^+ \eta^{(\prime)}$ and Search for CP Violation in $D^+ \rightarrow \pi^+ \eta^{(\prime)}$ Decays”, Phys. Rev. Lett. **107** (2011) 221801
325. O. Seon, Y. J. Kwon, T. Iijima, I. Adachi, H. Aihara, D. M. Asner, T. Aushev and A. M. Bakich *et al.*, “Search for Lepton-number-violating $B^+ \rightarrow D^- l^+ l'^+$ Decays”, Phys. Rev. D **84** (2011) 071106
326. S. -K. Choi, S. L. Olsen, K. Trabelsi, I. Adachi, H. Aihara, K. Arinstein, D. M. Asner and T. Aushev *et al.*, “Bounds on the width, mass difference and other properties of $X(3872) \rightarrow \pi^+ \pi^- J/\psi$ decays”, Phys. Rev. D **84** (2011) 052004
327. R. Aaij *et al.* [LHCb Collaboration], “Determination of f_s/f_d for 7TeV pp collisions and a measurement of the branching fraction of the decay $B_d \rightarrow D^- K^+$ ”, Phys. Rev. Lett. **107** (2011) 211801
328. P. Achard *et al.* [L3 Collaboration], “Test of the τ -Model of Bose-Einstein Correlations and Reconstruction of the Source Function in Hadronic Z-boson Decay at LEP”, Eur. Phys. J. C **71** (2011) 1648
329. I. Adachi *et al.* [Belle Collaboration], “First observation of the P -wave spin-singlet bottomonium states $h_b(1P)$ and $h_b(2P)$ ”, Phys. Rev. Lett. **108** (2012) 032001
330. R. Aaij *et al.* [LHCb Collaboration], “Measurement of J/ψ production in pp collisions at $\sqrt{s}=7\text{TeV}$ ”, Eur. Phys. J. C **71** (2011) 1645
331. R. Aaij *et al.* [LHCb Collaboration], “Search for the rare decays $B_s \rightarrow \mu\mu$ and $B_d \rightarrow \mu\mu$ ”, Phys. Lett. B **699** (2011) 330
332. R. Aaij *et al.* [LHCb Collaboration], “First observation of $B_s \rightarrow J/\psi f_0(980)$ decays”, Phys. Lett. B **698** (2011) 115
333. R. Aaij *et al.* [LHCb Collaboration], “First observation of $B_s \rightarrow D_{s2}^{*+} X \mu\nu$ decays”, Phys. Lett. B **698** (2011) 14
334. Y. Miyazaki *et al.*, “Search for Lepton-Flavor-Violating tau Decays into a Lepton and a Vector Meson”, Phys. Lett. B **699** (2011) 251
335. A. Gallas *et al.*, “First operational experience from the LHCb silicon tracker”, Nucl. Instrum. Meth. A **636** (2011) S182.
336. H. Ha *et al.* [BELLE Collaboration], “Measurement of the decay $B^0 \rightarrow \pi^- \ell^+ \nu$ and determination of $|V_{ub}|$ ”, Phys. Rev. D **83** (2011) 071101
337. G. Pakhlova *et al.* [Belle Collaboration], “Measurement of $e^+e^- \rightarrow D_s^{(*)+} D_s^{(*)-}$ cross sections near threshold using initial-state radiation”, Phys. Rev. D **83** (2011) 011101
338. R. Aaij *et al.* [LHCb Collaboration], “Measurement of $\sigma(pp \rightarrow b\bar{b}X)$ at $\sqrt{s} = 7\text{TeV}$ in the forward region”, Phys. Lett. B **694** (2010) 209

339. R. Aaij *et al.* [LHCb Collaboration], “Prompt K_s production in pp collisions at $\sqrt{s} = 0.9$ TeV”, Phys. Lett. B **693** (2010) 69
340. S. Uehara *et al.* [Belle Collaboration], “Measurement of $\eta\eta$ production in two-photon collisions”, Phys. Rev. D **82** (2010) 114031
341. H. J. Hyun *et al.* [BELLE Collaboration], “Search for a Low Mass Particle Decaying into $\mu^+\mu^-$ in $B^0 \rightarrow K^{*0}X$ and $B^0 \rightarrow \rho^0X$ at Belle”, Phys. Rev. Lett. **105** (2010) 091801
342. S. Esen *et al.*, “Observation of $B_s^0 \rightarrow D_s^{(*)} + D_s^{(*)-}$ using e^+e^- collisions and a determination of the $B_s - \bar{B}_s$ width difference $\Delta\Gamma_s$ ”, Phys. Rev. Lett. **105** (2010) 201802
343. Y. Miyazaki *et al.* [Belle Collaboration], “Search for lepton flavor violating τ^- decays into $\ell^- K_s^0$ and $\ell^- K_s^0 K_s^0$ ”, Phys. Lett. B **692** (2010) 4
344. A. Poluektov *et al.* [BELLE Collaboration], “Evidence for direct CP violation in the decay $B^\pm \rightarrow D^{(*)} K^\pm$, $D \rightarrow K_S^0 \pi^+ \pi^-$ and measurement of the CKM phase ϕ_3 ”, Phys. Rev. D **81** (2010) 112002
345. R. Louvot *et al.* [BELLE Collaboration], “Observation of $B_s^0 \rightarrow D_s^{*-} \pi^+$, $B_s^0 \rightarrow D_s^{(*)-} \rho^+$ Decays and Measurement of $B_s^0 \rightarrow D_s^{*-} \rho^+$ Polarization”, Phys. Rev. Lett. **104** (2010) 231801
346. N. J. Joshi *et al.* [BELLE Collaboration], “Measurement of the branching fractions for $B^0 \rightarrow D_s^{*+} \pi^-$ and $B^0 \rightarrow D_s^{*-} K^+$ decays”, Phys. Rev. D **81** (2010) 031101.
347. T. Aushev *et al.*, [BELLE Collaboration], “Study of the $B \rightarrow X(3872) (\rightarrow D^{*0} \bar{D}^0)$ K decay”, Phys. Rev. D **81** (2010) 031103.
348. M. J. Lee *et al.* [BELLE Collaboration], “Measurement of the branching fractions and the invariant mass distributions for $\tau^- \rightarrow h^- h^+ h^- \nu_\tau$ decays”, Phys. Rev. D **81** (2010) 113007
349. K. Hayasaka *et al.*, [BELLE Collaboration], “Search for Lepton Flavor Violating τ Decays into Three Leptons with 719 Million Produced $\tau^+ \tau^-$ Pairs”, Phys. Lett. B **687** (2010) 139
350. A. Bay *et al.*, “The LHCb VELO analogue transmission line”, Nucl. Instrum. Meth. A **614** (2010) 34.
351. D. Esperante *et al.*, “LHCb silicon tracker DAQ and ECS online systems”, IEEE Trans. Nucl. Sci. **57** (2010) 569.
352. S. Borghi *et al.*, “First spatial alignment of the LHCb VELO and analysis of beam absorber collision data”, Nucl. Instrum. Meth. A **618** (2010) 108.
353. V. Fave *et al.*, “First experience and results with the LHCb Silicon Tracker”, Nucl. Instrum. Meth. A **617** (2010) 538.
354. C. P. Shen *et al.* [BELLE Collaboration], “Evidence for a new resonance and search for the Y(4140) in $\gamma\gamma \rightarrow \phi J/\psi$ ”, Phys. Rev. Lett. **104** (2010) 112004
355. Y. Miyazaki *et al.* [BELLE Collaboration], “Search for Lepton Flavor and Lepton Number Violating tau Decays into a Lepton and Two Charged Mesons”, Phys. Lett. B **682** (2010) 355
356. E. Won *et al.* [BELLE Collaboration], “Measurement of $D^+ \rightarrow K_S^0 K^+$ and $D_s^+ \rightarrow K_S^0 \pi^+$ ”, Phys. Rev. D **80** (2009) 111101
357. G. Pakhlova *et al.* [BELLE Collaboration], “Measurement of the $e^+e^- \rightarrow D^0 D^{*-} \pi^+$ cross section using initial-state radiation”, Phys. Rev. D **80** (2009) 091101
358. A. Limosani *et al.* [BELLE Collaboration], “Measurement of Inclusive Radiative B^- meson Decays with a Photon Energy Threshold of 1.7 GeV”, Phys. Rev. Lett. **103** (2009) 241801
359. P. Achard *et al.* [L3 Collaboration], “Study of hadronic event shape in flavour tagged events in e^+e^- annihilation at $\sqrt{s} = 197$ GeV”, PMC Phys. A **2** (2008) 6

360. K. Belous *et al.* [BELLE Collaboration], “Measurement of cross sections of exclusive $e^+e^- \rightarrow VP$ processes at $\sqrt{s} = 10.58$ GeV”, Phys. Lett. B **681** (2009) 400
361. R. Mizuk *et al.* [BELLE Collaboration], “Dalitz analysis of $B \rightarrow K \pi \psi'$ decays and the $Z(4430)^+$ ”, Phys. Rev. D **80** (2009) 031104
362. A. Zupanc *et al.* [BELLE Collaboration], “Measurement of y_{CP} in D^0 meson decays to the $K_S^0 K^+ K^-$ final state”, Phys. Rev. D **80** (2009) 052006
363. J. Wiechczynski *et al.* [BELLE Collaboration], “Measurement of $B \rightarrow D_s^{(*)} K \pi$ branching fractions”, Phys. Rev. D **80** (2009) 052005
364. P. Pakhlov *et al.* [BELLE Collaboration], “Measurement of the $e^+e^- \rightarrow J/\psi c\bar{c}$ cross section at $\sqrt{s} = 10.6$ GeV”, Phys. Rev. D **79** (2009) 071101
365. K. Vervink *et al.* [BELLE Collaboration], “Improved measurement of the polarization and time-dependent CP violation in the decay $B^0 \rightarrow D^{*+} D^{*-}$ ”, Phys. Rev. D **80** (2009) 111104
366. C. Parkes *et al.* [LHCb Collaboration], “First LHC beam induced tracks reconstructed in the LHCb VELO”, Nucl. Instrum. Meth. A **604** (2009) 1.
367. S. H. Kyeong *et al.* [BELLE Collaboration], “Measurements of Charmless Hadronic $b \rightarrow s$ Penguin Decays in the $\pi\pi K\pi$ Final State and Observation of $B^0 \rightarrow \rho^0 K^+ \pi^-$ ”, Phys. Rev. D **80** (2009) 051103
368. C. Liu *et al.* [BELLE Collaboration], “Search for the X(1812) in $B^\pm \rightarrow K^\pm \omega \phi$ ”, Phys. Rev. D **79** (2009) 071102
369. A. Sokolov *et al.* [BELLE Collaboration], “Measurement of the branching fraction for the decay $Y(4S) \rightarrow Y(1S) \pi^+ \pi^-$ ”, Phys. Rev. D **79** (2009) 051103
370. Y. W. Chang *et al.* [BELLE Collaboration], “Observation of $B^0 \rightarrow \Lambda \bar{\Lambda} K^0$ and $B^0 \rightarrow \Lambda \bar{\Lambda} K^{*0}$ at Belle”, Phys. Rev. D **79** (2009) 052006
371. Y. Miyazaki *et al.* [BELLE Collaboration], “Search for Lepton-Flavor-Violating τ Decays into Lepton and $f_0(980)$ Meson”, Phys. Lett. B **672** (2009) 317
372. R. Louvot *et al.* [BELLE Collaboration], “Measurement of the Decay $B_s^0 \rightarrow D_s^- \pi^+$ and Evidence for $B_s^0 \rightarrow D_s^\pm K^\mp$ in e^+e^- Annihilation at $\sqrt{s} = 10.87$ GeV”, Phys. Rev. Lett. **102** (2009) 021801
373. Alves:2008zz A. A. Alves *et al.* [LHCb Collaboration], “The LHCb Detector At The LHC”, JINST **3** (2008) S08005.
374. S. Uehara *et al.* [BELLE Collaboration], “High-statistics measurement of neutral-pion pair production in two-photon collisions”, Phys. Rev. D **78** (2008) 052004
375. R. Kumar *et al.* [BELLE Collaboration], “Evidence for $B^0 \rightarrow \chi_{c1} \pi^0$ at Belle”, Phys. Rev. D **78** (2008) 091104
376. P. Achard *et al.* [L3 Collaboration], “Study of the solar anisotropy for cosmic ray primaries of about 200- GeV energy with the L3 + C muon detector”, Astron. Astrophys. **488** (2008) 1093
377. P. Goldenzweig *et al.* [BELLE Collaboration], “Evidence for Neutral B Meson Decays to ωK^{*0} ”, Phys. Rev. Lett. **101** (2008) 231801
378. V. Bhardwaj *et al.* [BELLE Collaboration], “Observation of $B^\pm \rightarrow \psi(2S) \pi^\pm$ and search for direct CP-violation”, Phys. Rev. D **78** (2008) 051104
379. M. Staric *et al.* [BELLE Collaboration], “Measurement of CP asymmetry in Cabibbo suppressed D^0 decays”, Phys. Lett. B **670** (2008) 190
380. R. Mizuk *et al.* [BELLE Collaboration], “Observation of two resonance-like structures in the $\pi^+ \chi_{c1}$ mass distribution in exclusive $\bar{B}^0 \rightarrow K^- \pi^+ \chi_{c1}$ decays”, Phys. Rev. D **78** (2008) 072004

381. M. Fujikawa *et al.* [BELLE Collaboration], “High-Statistics Study of the $\tau^- \rightarrow \pi^- \pi^0 \nu_\tau$ Decay”, Phys. Rev. D **78** (2008) 072006
382. N. Taniguchi *et al.* [BELLE Collaboration], “Measurement of branching fractions, isospin and CP-violating asymmetries for exclusive $b \rightarrow d\gamma$ modes”, Phys. Rev. Lett. **101** (2008) 111801 [Erratum-ibid. **101** (2008) 129904]
383. M. Iwabuchi *et al.* [BELLE Collaboration], “Search for $B^+ \rightarrow D^{*+} \pi^0$ decay”, Phys. Rev. Lett. **101** (2008) 041601
384. Y. Liu *et al.* [BELLE Collaboration], “Search for $B^0 \rightarrow J/\psi\phi$ ”, Phys. Rev. D **78** (2008) 011106
385. J. H. Chen *et al.* [BELLE Collaboration], “Observation of B^0 to $p \bar{p} K^{0*}$ with a large J/ψ polarization”, Phys. Rev. Lett. **100** (2008) 251801
386. A. A. Alves *et al.* [LHCb Collaboration], “The LHCb Detector At The LHC”, JINST **3** (2008) S08005
387. J. Wicht *et al.* [BELLE Collaboration], “Observation of B_s to ϕ gamma and Search for B_s to gamma gamma Decays at Belle”, Phys. Rev. Lett. **100** (2008) 121801
388. Y. Miyazaki *et al.* [BELLE Collaboration], “Search for Lepton Flavor Violating tau Decays into Three Leptons”, Phys. Lett. B **660** (2008) 154
389. D. Liventsev *et al.* [BELLE Collaboration], “Study of $B \rightarrow D^{*+} l \nu$ with full reconstruction tagging”, Phys. Rev. D **77** (2008) 091503
390. G. Pakhlova *et al.* [BELLE Collaboration], “Measurement of the near-threshold $e^+e^- \rightarrow D\bar{D}$ cross section using initial-state radiation”, Phys. Rev. D **77** (2008) 011103
391. K. F. Chen *et al.* [BELLE Collaboration], “Observation of anomalous $\Upsilon(1S)\pi^+\pi^-$ and $\Upsilon(2S)\pi^+\pi^-$ production near the $\Upsilon(5S)$ resonance”, Phys. Rev. Lett. **100** (2008) 112001
392. K. Abe *et al.* [BELLE Collaboration], “Measurement of $B(D_s \rightarrow \mu\nu)$ ”, Phys. Rev. Lett. **100** (2008) 241801
393. V. Balagura *et al.* [BELLE Collaboration], “Observation of $D_{s1}(2536)^+ \rightarrow D + \pi^- K^+$ and angular decomposition of $D_{s1}(2536)^+ \rightarrow D^{*+} K_S^0$ ”, Phys. Rev. D **77** (2008) 032001
394. R.P. Bernhard *et al.*, “The LHCb silicon tracker”, Nucl. Instrum. Meth. A **596** (2008) 17
395. S. E. Lee *et al.* [BELLE Collaboration], “Improved measurement of time-dependent CP violation in $B^0 \rightarrow J/\psi \pi^0$ decays”, Phys. Rev. D **77** (2008) 071101
396. K. Abe *et al.* [BELLE Collaboration], “Search for $\bar{B}^0 \rightarrow \Lambda_c^+ \Lambda_c^-$ decay at Belle”, Phys. Rev. D **77** (2008) 051101
397. K. Abe *et al.* [BELLE Collaboration], “Observation of a resonance-like structure in the $\pi^+ \psi'$ mass distribution in exclusive $B \rightarrow K \pi^+ \psi'$ decays”, Phys. Rev. Lett. **100** (2008) 142001
398. H. Sahoo *et al.* [BELLE Collaboration], “Measurements of time-dependent CP violation in $B^0 \rightarrow \psi(2S) K_S$ decays”, Phys. Rev. D **77** (2008) 091103
399. J. T. Wei *et al.* [BELLE Collaboration], “Study of the decay mechanism for B^+ to $p \bar{p} K^+$ and B^+ to $p \bar{p} \pi^+$ ”, Phys. Lett. B **659** (2008) 80
400. K. Hayasaka *et al.* [BELLE Collaboration], “New search for $\tau \rightarrow \mu\gamma$ and $\tau \rightarrow e\gamma$ decays at Belle”, Phys. Lett. B **666** (2008) 16
401. K. F. Chen *et al.* [BELLE Collaboration], “Search for $B \rightarrow h(*) \nu$ Decays at Belle”, Phys. Rev. Lett. **99** (2007) 221802
402. J. Brodzicka *et al.* [BELLE Collaboration], “Observation of a new D_{sJ} meson in $B^+ \rightarrow \bar{D}^0 D^0 K^+$ decays”, Phys. Rev. Lett. **100** (2008) 092001

403. O. Tajima *et al.*, “Search for the CP-violating decays $\Upsilon(4S) \rightarrow \mathbf{B}^0 \bar{\mathbf{B}}^0 \rightarrow J/\psi K_S^0 + J/\psi(\eta_c) K_S^0$ ”, Phys. Rev. Lett. **99** (2007) 211601
404. J. Dalseno *et al.* [BELLE Collaboration], “Measurement of Branching Fraction and Time-Dependent CP Asymmetry Parameters in $\mathbf{B}^0 \rightarrow \mathbf{D}^{*+} \mathbf{D}^{*-} \mathbf{K}_S^0$ Decays”, Phys. Rev. D **76** (2007) 072004
405. S. Uehara *et al.* [BELLE Collaboration], “Study of charmonia in four-meson final states produced in two-photon collisions”, Eur. Phys. J. C **53** (2008) 1
406. J. T. Wei *et al.* [BELLE Collaboration], “Study of the decay mechanism for \mathbf{B}^+ to p pbar \mathbf{K}^+ and \mathbf{B}^+ to p pbar π^+ ”, Phys. Lett. B **659** (2008) 80
407. K. Hayasaka *et al.* [BELLE Collaboration], “New search for $\tau \rightarrow \mu\gamma$ and $\tau \rightarrow e\gamma$ decays at Belle”, Phys. Lett. B **666** (2008) 16
408. K. Abe *et al.* [BELLE Collaboration], “Measurement of D0-D0bar mixing in $\mathbf{D}^0 \rightarrow \mathbf{K}_S^0 \pi^+ \pi^-$ decays”, Phys. Rev. Lett. **99** (2007) 131803
409. T. Medvedeva *et al.* [BELLE Collaboration], “Observation of the decay $\bar{\mathbf{B}}^0 \rightarrow \mathbf{D}_s^+ \Lambda \bar{p}$ ”, Phys. Rev. D **76** (2007) 051102
410. T. Mori *et al.* [BELLE Collaboration], “High statistics measurement of the cross sections of gamma gamma $\rightarrow \pi^+ \pi^-$ production”, J. Phys. Soc. Jap. **76** (2007) 074102
411. A.. Go, A. Bay *et al.* [BELLE Collaboration], “Measurement of Einstein-Podolsky-Rosen-type flavor entanglement in $\Upsilon(4S) \rightarrow \mathbf{B}^0 \bar{\mathbf{B}}^0$ decays”, Phys. Rev. Lett. **99** (2007) 131802
412. Y. Miyazaki *et al.* [BELLE Collaboration], “Search for lepton flavor violating τ^- decays into $\ell^- \eta$, $\ell^- \eta'$ and $\ell^- \pi^0$ ”, Phys. Lett. B **648** (2007) 341
413. M. Staric, B. Golob *et al.* [BELLE Collaboration], “Evidence for $\mathbf{D}^0 - \bar{\mathbf{D}}^0$ Mixing”, Phys. Rev. Lett. **98** (2007) 211803
414. A. Somov, A. J. Schwartz, *et al.* [BELLE Collaboration], “Improved measurement of CP-violating parameters in $\mathbf{B} \rightarrow \rho^+ \rho^-$ decays”, Phys. Rev. D **76** (2007) 011104
415. S. Fratina *et al.* [BELLE Collaboration], “Evidence for CP violation in $\mathbf{B}^0 \rightarrow \mathbf{D}^+ \mathbf{D}^-$ decays”, Phys. Rev. Lett. **98** (2007) 221802
416. A. Kusaka, C. C. Wang *et al.* [BELLE Collaboration], “Measurement of CP asymmetry in a time-dependent Dalitz analysis of $\mathbf{B}^0 \rightarrow (\rho\pi)^0$ and a constraint on the CKM angle ϕ_2 ”, Phys. Rev. Lett. **98** (2007) 221602
417. C. H. Wang *et al.* [BELLE Collaboration], “Measurement of charmless \mathbf{B} Decays to $\eta \mathbf{K}^*$ and $\eta \rho$ ”, Phys. Rev. D **75** (2007) 092005
418. P. Achard *et al.* [L3 Collaboration], “Study of resonance formation in the mass region 1400-MeV to 1500-MeV through the reaction $\gamma \gamma \rightarrow \mathbf{K}_S^0 \mathbf{K}^\pm \pi^\mp$ ”, JHEP **0703** (2007) 018
419. C. M. Jen, P. Chang, *et al.* [BELLE Collaboration], “Improved measurements of branching fractions and CP partial rate asymmetries for $\mathbf{B} \rightarrow \omega \mathbf{K}$ and $\mathbf{B} \rightarrow \omega \pi$ ”, Phys. Rev. D **74** (2006) 111101
420. C. Schwanda *et al.* [BELLE Collaboration], “Moments of the hadronic invariant mass spectrum in $\mathbf{B} \rightarrow \mathbf{X}_c \ell \nu$ decays at Belle”, Phys. Rev. D **75** (2007) 032005
421. M. Agari *et al.*, “Design and production of detector modules for the LHCb silicon tracker”, Nucl. Instrum. Meth. A **579** (2007) 736.
422. A. Garmash *et al.* [BELLE Collaboration], “Dalitz analysis of three-body charmless $\mathbf{B}^0 \rightarrow \mathbf{K}^0 \pi^+ \pi^-$ decay”, Phys. Rev. D **75** (2007) 012006
423. Q. L. Xie *et al.* [BELLE Collaboration], “Search for $\mathbf{B}^+ \rightarrow J/\psi \eta' \mathbf{K}^+$ and $\mathbf{B}^0 \rightarrow J/\psi \eta' \mathbf{K}_S^0$ decays”, Phys. Rev. D **75** (2007) 017101

424. W. T. Chen *et al.* [BELLE Collaboration], “A study of $\gamma\gamma \rightarrow \mathbf{K}_S^0\mathbf{K}_S^0$ production at energies of 2.4-4.0GeV at Belle”, Phys. Lett. B **651** (2007) 15
425. M. C. Chang *et al.* [BELLE Collaboration], “Observation of the decay $\mathbf{B}^0 \rightarrow \mathbf{J}/\psi \eta$ ”, Phys. Rev. Lett. **98** (2007) 131803
426. Y. Ushiroda, K. Sumisawa *et al.* [BELLE Collaboration], “Time-dependent CP asymmetries in $\mathbf{B}^0 \rightarrow \mathbf{K}_S^0\pi^0\gamma$ transitions”, Phys. Rev. D **74** (2006) 111104
427. G. Pakhlova *et al.* [BELLE Collaboration], “Measurement of the near-threshold $e^+e^- \rightarrow \mathbf{D}^{(*)\pm}\mathbf{D}^{*\mp}$ cross section using initial-state radiation”, Phys. Rev. Lett. **98** (2007) 092001
428. K. Inami *et al.* [BELLE Collaboration], “First observation of $\tau^- \rightarrow \phi \mathbf{K}^- \nu$ decay”, Phys. Lett. B **643** (2006) 5
429. P. Chang *et al.* [BELLE Collaboration], “Improved measurements of branching fractions and CP asymmetries in $\mathbf{B} \rightarrow \eta \mathbf{h}$ decays”, Phys. Rev. D **75** (2007) 071104
430. R. Mizuk *et al.* [BELLE Collaboration], “Experimental constraints on the spin and parity quantum numbers of the $\Lambda_c(2880)^+$ ”, Phys. Rev. Lett. **98** (2007) 262001
431. K. Belous, M. Shapkin, A. Solokov, *et al.* [BELLE Collaboration], “Measurement of the mass of the τ^- lepton and an upper limit on the mass difference between τ^+ and τ^- ”, Phys. Rev. Lett. **99** (2007) 011801
432. S. W. Lin, P. Chang *et al.* [BELLE Collaboration], “Observation of B decays to two kaons”, Phys. Rev. Lett. **98** (2007) 181804
433. R. Kumar, J. B. Singh *et al.* [BELLE Collaboration], “Observation of $\mathbf{B}^\pm \rightarrow \chi_{c1} \pi^\pm$ and search for direct CP violation”, Phys. Rev. D **74** (2006) 051103
434. S. Blyth *et al.* [BELLE Collaboration], “Improved measurements of color-suppressed decays $\bar{\mathbf{B}}^0 \rightarrow \mathbf{D}^0\pi^0, \mathbf{D}^0\eta, \mathbf{D}^0\omega, \mathbf{D}^{*0}\pi^0, \mathbf{D}^{*0}\eta$ and $\mathbf{D}^{*0}\omega$ ”, Phys. Rev. D **74** (2006) 092002
435. P. Achard *et al.* [L3 Collaboration], “Study of inclusive strange-baryon production and search for pentaquarks in two-photon collisions at LEP”, Eur. Phys. J. C **49** (2007) 395
436. C. H. Wu, M.-Z. Wang *et al.*, [BELLE Collaboration], “Study of $\mathbf{J}/\psi \rightarrow \mathbf{p} \bar{\mathbf{p}}, \Lambda \bar{\Lambda}$ and observation of $\eta_c \rightarrow \Lambda \bar{\Lambda}$ at Belle”, Phys. Rev. Lett. **97** (2006) 162003
437. R. Chistov *et al.* [BELLE Collaboration], “Observation of new states decaying into $\Lambda_c^+ \mathbf{K}^- \pi^+$ and $\Lambda_c^+ \mathbf{K}_S^0\pi^-$ ”, Phys. Rev. Lett. **97** (2006) 162001
438. P. Achard *et al.* [L3+C Collaboration], “The Solar flare of the 14th of July 2000 (L3+C detector results)”, Astron. Astrophys. **456** (2006) 351
439. P. Krokovny *et al.* [BELLE Collaboration], “Measurement of the quark mixing parameter $\cos 2\phi_1$ using time-dependent Dalitz analysis of $\bar{\mathbf{B}}^0 \rightarrow \mathbf{D} (\mathbf{K}_S^0\pi^+\pi^-) \mathbf{h}^0$ ”, Phys. Rev. Lett. **97** (2006) 081801
440. K. Ikado *et al.* [BELLE Collaboration], “Evidence of the purely leptonic decay $\mathbf{B}^- \rightarrow \tau^- \bar{\nu}_\tau$ ”, Phys. Rev. Lett. **97** (2006) 251802
441. T. Hokuue *et al.* [BELLE Collaboration], “Measurements of branching fractions and q^2 distributions for $\mathbf{B} \rightarrow \pi \ell \nu$ and $\mathbf{B} \rightarrow \rho \ell \nu$ decays with $\mathbf{B} \rightarrow \mathbf{D}^{(*)} \ell \nu$ decay tagging”, Phys. Lett. B **648** (2007) 139
442. K. Vervink *et al.*, “Design and performance of the LHCb silicon tracker”, Nucl. Instrum. Meth. A **566** (2006) 170
443. L. Widhalm *et al.* [BELLE Collaboration], “Measurement of $\mathbf{D}^0 \rightarrow \pi \ell \nu$ ($\mathbf{K} \ell \nu$) form factors and absolute branching fractions”, Phys. Rev. Lett. **97** (2006) 061804

444. J. Schumann, C. H. Wang *et al.* [BELLE Collaboration], “Evidence for $B \rightarrow \eta' \pi$ and improved measurements for $B \rightarrow \eta' K$ ”, *Phys. Rev. Lett.* **97** (2006) 061802
445. Y. Yusa *et al.* [BELLE Collaboration], “Search for neutrinoless decays $\tau \rightarrow \ell h h$ and $\tau \rightarrow \ell V^0$ ”, *Phys. Lett. B* **640** (2006) 138
446. S. Kostner *et al.*, “LHCb silicon tracker performance studies”, *IEEE Trans. Nucl. Sci.* **53** (2006) 2440
447. G. Haefeli, A. Bay and A. Gong, “FPGA-based signal processing for the LHCb silicon strip detectors”, *Nucl. Instrum. Meth. A* **569** (2006) 119
448. J. Dragic *et al.* [BELLE Collaboration], “Measurement of branching fraction and direct CP asymmetry in $B^0 \rightarrow \rho^0 \pi^0$ decays”, *Phys. Rev. D* **73** (2006) 111105
449. A. Somov *et al.* [BELLE Collaboration], “Measurement of the branching fraction, polarization, and CP asymmetry for $B^0 \rightarrow \rho^+ \rho^-$ decays, and determination of the CKM phase ϕ_2 ”, *Phys. Rev. Lett.* **96** (2006) 171801
450. L. M. Zhang *et al.*, “Improved constraints on $D^0 - \bar{D}^0$ mixing in $D^0 \rightarrow K^+ \pi^-$ decays at Belle”, *Phys. Rev. Lett.* **96** (2006) 151801
451. G. Haefeli, A. Bay, A. Gong, H. Gong, M. Muecke, N. Neufeld and O. Schneider, “The LHCb DAQ interface board TELL1”, *Nucl. Instrum. Meth. A* **560** (2006) 494
452. P. Achard *et al.* [L3 Collaboration], “A search for flaring very-high-energy cosmic gamma-ray sources with the L3+C muon spectrometer”, *Astropart. Phys.* **25** (2006) 298
453. P. Achard *et al.* [L3 Collaboration], “Measurement of the mass and the width of the W boson at LEP”, *Eur. Phys. J. C* **45** (2006) 569
454. P. Achard *et al.* [L3 Collaboration], “Measurement of hadron and lepton-pair production in e^+e^- collisions at $\sqrt{s} = 192 \text{ GeV} - 208 \text{ GeV}$ at LEP”, *Eur. Phys. J. C* **47** (2006) 1
455. R. Mizuk, M. Danilov *et al.* [BELLE Collaboration], “Search for the Theta(1540)+ pentaquark using kaon secondary interactions at Belle”, *Phys. Lett. B* **632** (2006) 173
456. U. Bitenc *et al.* [BELLE Collaboration], “Search for $D^0 - \bar{D}^0$ mixing using semileptonic decays at Belle”, *Phys. Rev. D* **72** (2005) 071101
457. S. Villa *et al.* [BELLE Collaboration], “Search for the decay $B^0 \rightarrow \gamma \gamma$ ”, *Phys. Rev. D* **73** (2006) 051107
458. R. Seidl, K. Hasuko *et al.* [BELLE Collaboration], “Measurement of azimuthal asymmetries in inclusive production of hadron pairs in e^+e^- annihilation at Belle”, *Phys. Rev. Lett.* **96** (2006) 232002
459. X. C. Tian *et al.* [BELLE Collaboration], “Measurement of the wrong-sign decays $D^0 \rightarrow K^+ \pi^- (\pi^0, \pi^+ \pi^-)$ and search for CP violation”, *Phys. Rev. Lett.* **95** (2005) 231801
460. K. Abe *et al.*, “Observation of $b \rightarrow d$ gamma and determination of $|V(td)/V(ts)|$ ”, *Phys. Rev. Lett.* **96** (2006) 221601
461. K. Abe *et al.* [BELLE Collaboration], “Measurements of B decays to two kaons”, *Phys. Rev. Lett.* **95** (2005) 231802
462. I. Bizjak *et al.* [BELLE Collaboration], “Measurement of the inclusive charmless semileptonic partial branching fraction of B mesons and determination of $|V(ub)|$ using the full reconstruction tag”, *Phys. Rev. Lett.* **95** (2005) 241801
463. B. Adeva *et al.*, “The LHCb silicon tracker”, *Nucl. Instrum. Meth. A* **546** (2005) 76
464. P. Achard *et al.* [L3 Collaboration], “Measurement of the running of the electromagnetic coupling at large momentum-transfer at LEP”, *Phys. Lett. B* **623** (2005) 26

465. P. Achard *et al.* [L3 Collaboration], “Measurement of the photon structure function $F_2(\gamma)$ with the L3 detector at LEP”, Phys. Lett. B **622** (2005) 249
466. P. Achard *et al.* [L3 Collaboration], “Measurement of the cross section for open-beauty production in photon photon collisions at LEP”, Phys. Lett. B **619** (2005) 71
467. K. Abe *et al.* [BELLE Collaboration], “Improved evidence for direct CP violation in $\mathbf{B}^0 \rightarrow \pi^+ \pi^-$ decays and model-independent constraints on $\phi(2)$ ”, Phys. Rev. Lett. **95** (2005) 101801
468. P. Achard *et al.* [L3 Collaboration], “Neutral-current four-fermion production in e^+e^- interactions at LEP”, Phys. Lett. B **616** (2005) 159
469. A. Drutskoy *et al.* [BELLE Collaboration], “Observation of $\overline{\mathbf{B}}^0 \rightarrow \mathbf{D}^*(sJ)(2317) + \mathbf{K}^-$ decay”, Phys. Rev. Lett. **94** (2005) 061802
470. R. Itoh *et al.* [BELLE Collaboration], “Studies of CP violation in $\mathbf{B} \rightarrow \mathbf{J}/\psi \mathbf{K}^*$ decays”, Phys. Rev. Lett. **95** (2005) 091601
471. K. F. Chen *et al.* [BELLE Collaboration], “Time-dependent CP-violating asymmetries in $b \rightarrow s \bar{q}q$ transitions”, Phys. Rev. D **72** (2005) 012004
472. P. Achard *et al.* [L3 Collaboration], “Measurement of exclusive $\rho^+ \rho^-$ production in mid-virtuality two-photon interactions and study of the $\gamma \gamma^* \rightarrow \rho \rho$ process at LEP”, Phys. Lett. B **615** (2005) 19
473. P. Achard *et al.* [L3 Collaboration], “Z-boson production with two unobserved, back-to-back, hard photons at LEP”, Phys. Lett. B **613** (2005) 118
474. P. Achard *et al.* [L3 Collaboration], “Compton scattering of quasi-real virtual photons at LEP”, Phys. Lett. B **616** (2005) 145
475. F. Legger, A. Bay, G. Haefeli and L. Locatelli, “TELL1: Development of a common readout board for LHCb”, Nucl. Instrum. Meth. A **535** (2004) 497.
476. P. Achard *et al.* [The L3 Collaboration], “Measurement of the shadowing of high-energy cosmic rays by the moon: A search for TeV-energy antiprotons”, Astropart. Phys. **23** (2005) 411
477. Y. Ushiroda *et al.*, “New measurement of time-dependent CP-violating asymmetry in $\mathbf{B}^0 \rightarrow \mathbf{K}0(S) \pi^0$ gamma decay”, Phys. Rev. Lett. **94** (2005) 231601
478. C. C. Kuo *et al.*, “Measurement of $\gamma \gamma \rightarrow p \text{ anti-}p$ production at Belle”, Phys. Lett. B **621** (2005) 41
479. H. Miyake *et al.* [BELLE Collaboration], “Branching fraction, polarization and CP-violating asymmetries in $\mathbf{B}^0 \rightarrow \mathbf{D}^* + \mathbf{D}^{*-}$ decays”, Phys. Lett. B **618** (2005) 34
480. P. Achard *et al.* [L3 Collaboration], “Search for an invisibly-decaying Higgs boson at LEP”, Phys. Lett. B **609** (2005) 35
481. T. Okabe *et al.*, “Spectra of prompt electrons from decays of \mathbf{B}^+ and \mathbf{B}^0 mesons and ratio of inclusive semielectronic branching fractions”, Phys. Lett. B **614** (2005) 27
482. P. Achard *et al.* [L3 Collaboration], “Measurement of exclusive $\rho^0 \rho^0$ production in mid-virtuality two-photon interactions at LEP”, Phys. Lett. B **604** (2004) 48
483. P. Achard *et al.* [L3 Collaboration], “Inclusive jet production in two-photon collisions at LEP”, Phys. Lett. B **602** (2004) 157
484. T. Lesiak *et al.* [BELLE Collaboration], “Measurement of masses and branching ratios of Ξ/c^+ and Ξ/c^0 baryons”, Phys. Lett. B **605** (2005) 237 [Erratum-ibid. B **617** (2005) 198]
485. P. Achard *et al.* [L3 Collaboration], “Measurement of the cross section of W-boson pair production at LEP”, Phys. Lett. B **600** (2004) 22

486. G. Majumder *et al.* [BELLE Collaboration], “Observation of $\mathbf{B}^0 \rightarrow \mathbf{D}^{*-} (5\pi)^+$, $\mathbf{B}^+ \rightarrow \mathbf{D}^{*-} (4\pi)^{++}$ and $\mathbf{B}^+ \rightarrow \text{anti-}\mathbf{D}^0 (5\pi)^+$ ”, Phys. Rev. D **70** (2004) 111103
487. K. Abe *et al.* [BELLE Collaboration], “Search for $\mathbf{B}^0 \rightarrow \text{p anti-p}$, Λ $\bar{\Lambda}$ and $\mathbf{B}^+ \rightarrow \text{p Antilambda}$ at Belle”, Phys. Rev. D **71** (2005) 072007
488. K. Abe *et al.* [BELLE Collaboration], “Observation of a near-threshold omega J/psi mass enhancement in exclusive $\mathbf{B} \rightarrow \mathbf{K} \omega \text{ J/psi}$ decays”, Phys. Rev. Lett. **94** (2005) 182002
489. K. Abe *et al.* [BELLE Collaboration], “Search for \mathbf{D}^0 anti- \mathbf{D}^0 mixing in $\mathbf{D}^0 \rightarrow \mathbf{K}^+ \pi^-$ decays and measurement of the doubly-Cabibbo-suppressed decay rate”, Phys. Rev. Lett. **94** (2005) 071801
490. K. Abe *et al.* [BELLE Collaboration], “Improved measurement of CP-violation parameters $\sin(2\phi(1))$ and $|\lambda|$, B meson lifetimes, and $\mathbf{B}^0 \bar{\mathbf{B}}^0$ mixing parameter $\Delta(m(d))$ ”, Phys. Rev. D **71** (2005) 072003 [Erratum-ibid. D **71** (2005) 079903]
491. K. Abe *et al.* [BELLE Collaboration], “Time-dependent CP violation effects in partially reconstructed $\mathbf{B} \rightarrow \mathbf{D}^* \pi$ decays”, Phys. Lett. B **624** (2005) 11
492. K. Abe *et al.* [BELLE Collaboration], “Observation of $\mathbf{B}^0 \rightarrow \pi^0 \pi^0$ ”, Phys. Rev. Lett. **94** (2005) 181803
493. C. C. Wang *et al.* [BELLE Collaboration], “Study of $\mathbf{B}^0 \rightarrow \rho^+ \pi^-$ + time-dependent CP violation at Belle”, Phys. Rev. Lett. **94** (2005) 121801
494. P. Achard *et al.* [L3 Collaboration], “Measurement of the atmospheric muon spectrum from 20-GeV to 3000-GeV”, Phys. Lett. B **598** (2004) 15
495. J. Zhang *et al.* [BELLE Collaboration], “Measurement of branching fraction and CP asymmetry in $\mathbf{B}^+ \rightarrow \rho^+ \pi^0$ ”, Phys. Rev. Lett. **94** (2005) 031801
496. Y. Chao *et al.* [BELLE Collaboration], “Evidence for direct CP violation in $\mathbf{B}^0 \rightarrow \mathbf{K}^+ \pi^-$ decays”, Phys. Rev. Lett. **93** (2004) 191802
497. T. Aushev *et al.* [BELLE Collaboration], “Search for CP violation in the decay $\mathbf{B}^0 \rightarrow \mathbf{D}^{*+} \mathbf{D}^-$ ”, Phys. Rev. Lett. **93** (2004) 201802
498. P. Chang *et al.* [BELLE Collaboration], “Observation of the decays $\mathbf{B}^0 \rightarrow \mathbf{K}^+ \pi^- \pi^0$ and $\mathbf{B}^0 \rightarrow \rho^- \mathbf{K}^+$ ”, Phys. Lett. B **599** (2004) 148
499. P. Achard *et al.* [L3 Collaboration], “Studies of hadronic event structure in $e^+ e^-$ annihilation from 30-GeV to 209-GeV with the L3 detector”, Phys. Rept. **399** (2004) 71
500. J. Dragic *et al.* [BELLE Collaboration], “Evidence of $\mathbf{B}^0 \rightarrow \rho^0 \pi^0$ ”, Phys. Rev. Lett. **93** (2004) 131802
501. C. Schwanda *et al.* [BELLE Collaboration], “Evidence for $\mathbf{B}^+ \rightarrow \omega \ell^+ \nu$ ”, Phys. Rev. Lett. **93** (2004) 131803
502. P. Achard *et al.* [L3 Collaboration], “Measurement of exclusive $\rho^+ \rho^-$ production in high- Q^2 two-photon collisions at LEP”, Phys. Lett. B **597** (2004) 26
503. P. Achard *et al.* [L3 Collaboration], “Search for branons at LEP”, Phys. Lett. B **597** (2004) 145
504. P. Achard *et al.* [L3 Collaboration], “Study of the $e^+ e^- \rightarrow Z \gamma$ process at LEP and limits on triple neutral-gauge-boson couplings”, Phys. Lett. B **597** (2004) 119
citeAchard:2004kn
505. P. Achard *et al.* [L3 Collaboration], “Search for anomalous couplings in the Higgs sector at LEP”, Phys. Lett. B **589** (2004) 89
506. P. Koppenburg *et al.* [BELLE Collaboration], “An inclusive measurement of the photon energy spectrum in $\mathbf{b} \rightarrow \mathbf{s} \gamma$ decays”, Phys. Rev. Lett. **93** (2004) 061803

507. M. Nakao *et al.* [BELLE Collaboration], “Measurement of the $B \rightarrow K^*$ gamma branching fractions and asymmetries”, Phys. Rev. D **69** (2004) 112001
508. P. Achard *et al.* [L3 Collaboration], “Muon pair and tau pair production in two-photon collisions at LEP”, Phys. Lett. B **585** (2004) 53
509. P. Achard *et al.* [L3 Collaboration], “Measurement of triple gauge boson couplings of the W boson at LEP”, Phys. Lett. B **586** (2004) 151
510. K. Abe *et al.* [BELLE Collaboration], “Observation of large CP violation and evidence for direct CP violation in $B^0 \rightarrow \pi^+ \pi^-$ decays”, Phys. Rev. Lett. **93** (2004) 021601
511. P. Achard *et al.* [L3 Collaboration], “Search for colour singlet and colour reconnection effects in hadronic Z decays at LEP”, Phys. Lett. B **581** (2004) 19
512. P. Achard *et al.* [L3 Collaboration], “Search for scalar leptons and scalar quarks at LEP”, Phys. Lett. B **580** (2004) 37
513. P. Achard *et al.* [L3 Collaboration], “Measurement Of Charged-Particle Multiplicity Distributions And Their H(Q) Moments In Hadronic Z Decays At Lep”, Phys. Lett. B **577** (2003) 109.
514. K. Abe *et al.* [BELLE Collaboration], “Measurement of $K^+ K^-$ production in two-photon collisions in the resonant-mass region”, Eur. Phys. J. C **32** (2003) 323
515. P. Achard *et al.* [L3 Collaboration], “Search for doubly-charged Higgs bosons at LEP”, Phys. Lett. B **576** (2003) 18
516. P. Achard *et al.* [L3 Collaboration], “Search for charged Higgs bosons at LEP”, Phys. Lett. B **575** (2003) 208
517. A. Ishikawa *et al.* [BELLE Collaboration], “Observation of the electroweak penguin decay $B \rightarrow K^* l^+ l^-$ ”, Phys. Rev. Lett. **91** (2003) 261601
518. K. Abe *et al.* [BELLE Collaboration], “Evidence for $B^0 \rightarrow \pi^0 \pi^0$ ”, Phys. Rev. Lett. **91** (2003) 261801
519. P. Achard *et al.* [L3 Collaboration], “Z boson pair-production at LEP”, Phys. Lett. B **572** (2003) 133
520. K. Abe *et al.* [BELLE Collaboration], “Measurement of the $e^+ e^- \rightarrow D^{(*)+} D^{(*)-}$ cross-sections”, Surveys High Energ. Phys. **18** (2003) 221
521. K. Abe *et al.*, “Measurements of the D/sJ resonance properties”, Phys. Rev. Lett. **92** (2004) 012002
522. P. Achard *et al.* [L3 Collaboration], “Proton antiproton pair production in two-photon collisions at LEP”, Phys. Lett. B **571** (2003) 11
523. Y. Unno *et al.* [BELLE Collaboration], “Improved measurement of the partial-rate CP asymmetry in $B^+ \rightarrow K^0 \pi^+$ and $B^- \rightarrow \text{anti-}K^0 \pi^-$ decays”, Phys. Rev. D **68** (2003) 011103
524. P. Achard *et al.* [L3 Collaboration], “Search for Excited Leptons at LEP”, Phys. Lett. B **568** (2003) 23
525. P. Achard *et al.* [L3 Collaboration], “Measurement of exclusive $\rho^0 \rho^0$ production in two-photon collisions at high Q^2 at LEP”, Phys. Lett. B **568** (2003) 11
526. P. Achard *et al.* [L3 Collaboration], “Search for colour reconnection effects in $e^+ e^- \rightarrow W^+ W^- \rightarrow$ hadrons through particle-flow studies at LEP”, Phys. Lett. B **561** (2003) 202
527. K. Abe *et al.* [BELLE Collaboration], “Evidence for CP-violating asymmetries $B^0 \rightarrow \pi^+ \pi^-$ decays and constraints on the CKM angle ϕ_2 ”, Phys. Rev. D **68** (2003) 012001
528. P. Achard *et al.* [L3 Collaboration], “Study of the $e^+ e^- \rightarrow Z e^+ e^-$ process at LEP”, Phys. Lett. B **561** (2003) 73

529. S. K. Swain *et al.* [BELLE Collaboration], “Measurement of branching fraction ratios and CP asymmetries in $B^{+-} \rightarrow D(\text{CP}) K^{+-}$ ”, Phys. Rev. D **68** (2003) 051101
530. K. Hara *et al.* [BELLE Collaboration], “Measurement Of The $B^0 \bar{B}^0$ Mixing Parameter ΔM_d Using Semileptonic B^0 Decays”, Phys. Rev. Lett. **89** (2002) 251803.
531. P. Achard *et al.* [L3 Collaboration], “Measurement of W polarisation at LEP”, Phys. Lett. B **557** (2003) 147
532. P. Achard *et al.* [L3 Collaboration], “Inclusive charged hadron production in two-photon collisions at LEP”, Phys. Lett. B **554** (2003) 105
533. P. Krokovny *et al.* [BELLE Collaboration], “Observation of $\bar{B}^0 \rightarrow D^0 \bar{K}^0$ and $\bar{B}^0 \rightarrow D^0 \bar{K}^{0*}$ decays”, Phys. Rev. Lett. **90** (2003) 141802
534. K. Abe *et al.* [BELLE Collaboration], “Study of time-dependent CP-violating asymmetries in $b \rightarrow s \bar{q} q$ decays”, Phys. Rev. D **67** (2003) 031102
535. N. C. Hastings *et al.* [BELLE Collaboration], “Studies of $B^0 \bar{B}^0$ mixing properties with inclusive dilepton events”, Phys. Rev. D **67** (2003) 052004
536. Y. Zheng *et al.*, “Measurement of the $B^0 \bar{B}^0$ mixing rate with $B^0(\bar{B}^0) \rightarrow D^{*\mp} \pi^\pm$ partial reconstruction”, Phys. Rev. D **67** (2003) 092004
537. K. Abe *et al.* [BELLE Collaboration], “Measurement of branching fractions and charge asymmetries for two-body B meson decays with charmonium”, Phys. Rev. D **67** (2003) 032003
538. A. Satpathy *et al.* [BELLE Collaboration], “Study of $\bar{B}^0 \rightarrow D^{(*)0} \pi^+ \pi^-$ decays”, Phys. Lett. B **553** (2003) 159
539. F. Fang *et al.*, “Measurement of branching fractions for $B \rightarrow \eta_c K^{(*)}$ decays”, Phys. Rev. Lett. **90** (2003) 071801
540. J. Kaneko *et al.* [BELLE Collaboration], “Measurement of the electroweak penguin process $B \rightarrow X_s l^+ l^-$ ”, Phys. Rev. Lett. **90** (2003) 021801
541. A. L. Perrot, G. Molinari and A. Bay, “A Luminosity Monitor For The Large Hadron Collider”, Nucl. Instrum. Meth. A **487** (2002) 331.
542. A. Bay, J. P. Perroud, F. Ronga, J. Derre, Y. Giomataris, A. Delbart and Y. Papadopoulos, “Study Of Sparking In Micromegas Chambers”, Nucl. Instrum. Meth. A **488** (2002) 162.
543. P. Achard *et al.* [L3 Collaboration], “Search for single top production at LEP”, Phys. Lett. B **549** (2002) 290
544. P. Achard *et al.* [L3 Collaboration], “Measurement of Bose-Einstein correlations in $e^+e^- \rightarrow W^+ W^-$ events at LEP”, Phys. Lett. B **547** (2002) 139
545. P. Achard *et al.* [L3 Collaboration], “Production of single W bosons at LEP and measurement of $W W \gamma$ gauge coupling parameters”, Phys. Lett. B **547** (2002) 151
546. K. Abe *et al.*, “A measurement of the rate of wrong-sign decays $D^0 \rightarrow K^+ \pi^-$ ”,
547. Annis:cs P. Annis *et al.* [RD46 Collaboration], “Tracking With Capillaries And Liquid Scintillator”, Nucl. Phys. Proc. Suppl. **61B** (1998) 390.
548. P. Achard *et al.* [L3 Collaboration], “Search for neutral Higgs bosons of the minimal supersymmetric standard model in e^+e^- interactions at \sqrt{s} up to 209 GeV”, Phys. Lett. B **545** (2002) 30
549. N. Gabyshev *et al.* [BELLE Collaboration], “Study of exclusive B decays to charmed baryons at Belle”, Phys. Rev. D **66** (2002) 091102
550. Annis:hs P. Annis *et al.*, “Capillary Detectors For High Resolution Tracking”, Nucl. Phys. Proc. Suppl. **54** (1997) 86.

551. K. Abe *et al.* [BELLE Collaboration], “Measurement of the inclusive semileptonic branching fraction of B mesons and $|V_{cb}|$ ”, Phys. Lett. B **547** (2002) 181
552. K. Abe *et al.* [BELLE Collaboration], “Study of charmless B decays to three-kaon final states”,
553. K. Abe *et al.* [BELLE Collaboration], “An improved measurement of mixing-induced CP violation in the neutral B meson system”, Phys. Rev. D **66** (2002) 071102
554. B. C. Casey *et al.* [BELLE Collaboration], “Charmless hadronic two-body B meson decays”, Phys. Rev. D **66** (2002) 092002
555. P. Krokovny *et al.* [BELLE Collaboration], “Observation of $D_s^+ K^-$ and evidence for $D_s^+ \pi^-$ final states in neutral B decays”, Phys. Rev. Lett. **89** (2002) 231804
556. K. Hara *et al.* [BELLE Collaboration], “Measurement of the B^0 - \bar{B}^0 mixing parameter ΔM_d using semileptonic B^0 decays”,
557. A. Drutskoy *et al.* [BELLE Collaboration], “Observation of $B \rightarrow D^{(*)} K^- K^{(*)0}$ decays”, Phys. Lett. B **542** (2002) 171
558. K. F. Chen *et al.*, “Measurement of CP-violating parameters in $B \rightarrow \eta' K$ decays”, Phys. Lett. B **546** (2002) 196
559. A. Gordon *et al.* [BELLE Collaboration], “Study of $B \rightarrow \rho \pi$ decays at Belle”, Phys. Lett. B **542** (2002) 183
560. P. Achard *et al.* [L3 Collaboration], “Measurement of genuine three-particle Bose-Einstein correlations in hadronic Z decay”, Phys. Lett. B **540** (2002) 185
561. P. Achard *et al.* [L3 Collaboration], “The $e^+e^- \rightarrow Z \gamma \gamma \rightarrow q \bar{q} \gamma \gamma$ reaction at LEP and constraints on anomalous quartic gauge boson couplings”, Phys. Lett. B **540** (2002) 43
562. K. Abe *et al.* [BELLE Collaboration], “Observation of the decay $B^0 \rightarrow D^\pm D^{*\mp}$ ”, Phys. Rev. Lett. **89** (2002) 122001
563. S. K. Choi *et al.* [BELLE Collaboration], “Observation of the $\eta_c(2S)$ in exclusive $B \rightarrow K K_S K^- \pi^+$ decays”, Phys. Rev. Lett. **89** (2002) 102001 [Erratum-ibid. **89** (2002) 129901]
564. K. Abe *et al.* [BELLE Collaboration], “Observation of double $c \bar{c}$ production in e^+e^- annihilation at $\sqrt{s} \approx 10.6$ GeV”, Phys. Rev. Lett. **89** (2002) 142001
565. K. Abe *et al.* [BELLE Collaboration], “Measurement of χ_{c2} production in two-photon collisions”, Phys. Lett. B **540** (2002) 33
566. K. Abe *et al.* [BELLE Collaboration], “Observation of $\bar{B}^0 \rightarrow D^{(*)0} p \bar{p}$ ”, Phys. Rev. Lett. **89** (2002) 151802
567. S. Nishida *et al.* [BELLE Collaboration], “Radiative B meson decays into $K \pi \gamma$ and $K \pi \pi \gamma$ final states”, Phys. Rev. Lett. **89** (2002) 231801
568. K. Abe *et al.* [BELLE Collaboration], “Measurements of branching fractions and decay amplitudes in $B \rightarrow J/\psi K^*$ decays”, Phys. Lett. B **538** (2002) 11
569. P. Achard *et al.* [L3 Collaboration], “Determination of α_S from Hadronic Event Shapes in e^+e^- Annihilation at $192 < \sqrt{s} < 208$ GeV”, Phys. Lett. B **536** (2002) 217
570. P. Achard *et al.* [L3 Collaboration], “Inclusive $D^{*\pm}$ production in two-photon collisions at LEP”, Phys. Lett. B **535** (2002) 59
571. P. Achard *et al.* [L3 Collaboration], “ Λ and Σ^0 pair production in two-photon collisions at LEP”, Phys. Lett. B **536** (2002) 24
572. P. Achard *et al.* [L3 Collaboration], “Search for a Higgs boson decaying into two photons at LEP”, Phys. Lett. B **534** (2002) 28

573. P. Achard *et al.* [L3 Collaboration], “Study of multiphoton final states and tests of QED in e^+e^- collisions at \sqrt{s} up to 209 GeV”, Phys. Lett. B **531** (2002) 28
574. Bay:kx A. Bay and G. Martellotti [RD46 Collaboration], “Capillary Detectors In LHC-B”, Nucl. Instrum. Meth. A **384** (1996) 179.
575. P. Achard *et al.* [L3 Collaboration], “Study of the $W^+ W^- \gamma$ process and limits on anomalous quartic gauge boson couplings at LEP”, Phys. Lett. B **527** (2002) 29
576. P. Achard *et al.* [L3 Collaboration], “Double-tag events in two-photon collisions at LEP”, Phys. Lett. B **531** (2002) 39
577. P. Achard *et al.* [L3 Collaboration], “ $f_1(1285)$ formation in two photon collisions at LEP”, Phys. Lett. B **526** (2002) 269
578. P. Achard *et al.* [L3 Collaboration], “Measurement of the charged-particle multiplicity and inclusive momentum distributions in Z decays at LEP”,
579. P. Achard *et al.* [L3 Collaboration], “Search for R-parity violating decays of supersymmetric particles in e^+e^- collisions at LEP”, Phys. Lett. B **524** (2002) 65
580. P. Achard *et al.* [L3 Collaboration], “Inclusive π^0 and K_S^0 production in two-photon collisions at LEP”, Phys. Lett. B **524** (2002) 44
581. P. Achard *et al.* [L3 Collaboration], “Bose-Einstein correlations of neutral and charged pions in hadronic Z decays”, Phys. Lett. B **524** (2002) 55
582. P. Achard *et al.* [L3 Collaboration], “Measurement of the topological branching fractions of the tau lepton at LEP”, Phys. Lett. B **519** (2001) 189
583. P. Achard *et al.* [L3 Collaboration], “Standard model Higgs boson with the L3 experiment at LEP”, Phys. Lett. B **517** (2001) 319
584. P. Achard *et al.* [L3 Collaboration], “Search for heavy neutral and charged leptons in e^+e^- annihilation at LEP”, Phys. Lett. B **517** (2001) 75
585. P. Achard *et al.* [L3 Collaboration], “Search for heavy isosinglet neutrino in e^+e^- annihilation at LEP”, Phys. Lett. B **517** (2001) 67
586. A. Bay *et al.*, “A High-Resolution Tracking Hodoscope Based On Capillary Layers Filled With Liquid Scintillator”, Nucl. Instrum. Meth. A **457** (2001) 107.
587. M. Acciarri *et al.* [L3 Collaboration], “Total cross section in $\gamma \gamma$ collisions at LEP”, Phys. Lett. B **519** (2001) 33
588. M. Acciarri *et al.* [L3 Collaboration], “Study of the $e^+e^- \rightarrow Z \gamma \gamma \rightarrow q \bar{q} \gamma \gamma$ process at LEP”, Phys. Lett. B **505** (2001) 47
589. M. Acciarri *et al.* [L3 Collaboration], “Measurement of the tau branching fractions into leptons”, Phys. Lett. B **507** (2001) 47
590. M. Acciarri *et al.* [L3 Collaboration], “Measurement of the charm production cross section in $\gamma \gamma$ collisions at LEP”, Phys. Lett. B **514** (2001) 19
591. M. Acciarri *et al.* [L3 Collaboration], “Search for the standard model Higgs boson in e^+e^- collisions at \sqrt{s} up to 202 GeV”, Phys. Lett. B **508** (2001) 225
592. M. Acciarri *et al.* [L3 Collaboration], “Search for neutral Higgs bosons of the minimal supersymmetric standard model in e^+e^- interactions at $\sqrt{s} = 192$ GeV to 202 GeV”, Phys. Lett. B **503** (2001) 21
593. M. Acciarri *et al.* [L3 Collaboration], “Measurements of the cross sections for open charm and beauty production in $\gamma \gamma$ collisions at $\sqrt{s} = 189$ GeV - 202 GeV”, Phys. Lett. B **503** (2001) 10

594. M. Acciarri *et al.* [L3 Collaboration], “Search for excited leptons in e^+e^- interactions at $\sqrt{s} = 192 \text{ GeV} - 202 \text{ GeV}$ ”, Phys. Lett. B **502** (2001) 37
595. M. Acciarri *et al.* [L3 Collaboration], “Search for R-parity violating decays of supersymmetric particles in e^+e^- collisions at $\sqrt{s} = 189 \text{ GeV}$ ”, Eur. Phys. J. C **19** (2001) 397
596. M. Acciarri *et al.* [L3 Collaboration], “ $\mathbf{K}_S^0\mathbf{K}_S^0$ final state in two-photon collisions and implications for glueballs”, Phys. Lett. B **501** (2001) 173
597. M. Acciarri *et al.* [L3 Collaboration], “Light resonances in $\mathbf{K}_S^0\mathbf{K}^\pm \pi^\mp$ and $\eta \pi^+\pi^-$ final states in $\gamma \gamma$ collisions at LEP”, Phys. Lett. B **501** (2001) 1
598. M. Acciarri *et al.* [L3 Collaboration], “Study of Z boson pair production in e^+e^- interactions at $\sqrt{s} = 192 \text{ GeV}$ to 202 GeV ”, Phys. Lett. B **497** (2001) 23
599. A. Bay *et al.*, “A high-resolution tracking hodoscope based on capillary layers filled with liquid scintillator”, CERN-EP-2000-074
600. M. Acciarri *et al.* [L3 Collaboration], “Higgs candidates in e^+e^- interactions at $\sqrt{s} = 206.6 \text{ GeV}$ ”, Phys. Lett. B **495** (2000) 18
601. M. Acciarri *et al.* [L3 Collaboration], “Search for charged Higgs bosons in e^+e^- collisions at centre-of-mass energies up to 202 GeV ”, Phys. Lett. B **496** (2000) 34
602. P. Annis *et al.*, “A single-photon multichannel detector: The megapixel EBCCD”, *Prepared for SCIFI97: Conference on Scintillating and Fiber Detectors, South Bend, Indiana, 2-6 Nov 1997*
603. P. Annis *et al.*, “High resolution tracking devices based on capillaries filled with liquid scintillator”, *Prepared for SCIFI97: Conference on Scintillating and Fiber Detectors, South Bend, Indiana, 2-6 Nov 1997*
604. M. Acciarri *et al.* [L3 Collaboration], “Measurement of the W pair production cross section and W decay branching fractions in e^+e^- interactions at $\sqrt{s} = 189 \text{ GeV}$ ”, Phys. Lett. B **496** (2000) 19
605. M. Acciarri *et al.* [L3 Collaboration], “Measurement of Bose-Einstein correlations in $e^+e^- \rightarrow W^+W^-$ at $\sqrt{s} \approx 189 \text{ GeV}$ ”, Phys. Lett. B **493** (2000) 233
606. M. Acciarri *et al.* [L3 Collaboration], “Search for anomalous couplings in the Higgs sector at LEP”, Phys. Lett. B **489** (2000) 102
607. M. Acciarri *et al.* [L3 Collaboration], “Measurement of the $W^+W^-\gamma$ cross section and direct limits on anomalous quartic gauge boson couplings at LEP”, Phys. Lett. B **490** (2000) 187
608. M. Acciarri *et al.* [L3 Collaboration], “Search for a Higgs boson decaying into two photons in e^+e^- interactions at $\sqrt{s} = 189 \text{ GeV}$ ”, Phys. Lett. B **489** (2000) 115
609. M. Acciarri *et al.* [L3 Collaboration], “Determination of γ / Z interference in e^+e^- annihilation at LEP”, Phys. Lett. B **489** (2000) 93
610. M. Acciarri *et al.* [L3 Collaboration], “Production of single W bosons at $\sqrt{s} = 189 \text{ GeV}$ and measurement of W W γ gauge couplings”, Phys. Lett. B **487** (2000) 229
611. J. Derre, Y. Giomataris, H. Zaccane, A. Bay, J. P. Perroud and F. Ronga, “Spatial resolution in Micromegas detectors”, Nucl. Instrum. Meth. A **459** (2001) 523.
612. M. Acciarri *et al.* [L3 Collaboration], “QCD studies in e^+e^- annihilation from 30 GeV to 189 GeV ”, Phys. Lett. B **489** (2000) 65
613. M. Acciarri *et al.* [L3 Collaboration], “Search for manifestations of new physics in fermion pair production at LEP”, Phys. Lett. B **489** (2000) 81
614. M. Acciarri *et al.* [L3 Collaboration], “Search for anomalous Z Z γ and Z $\gamma \gamma$ couplings in the process $e^+e^- \rightarrow Z \gamma$ at LEP”, Phys. Lett. B **489** (2000) 55

615. M. Acciarri *et al.* [L3 Collaboration], “Measurements of the $b \bar{b}$ production cross section and forward-backward asymmetry at centre-of-mass energies above the Z pole at LEP”, Phys. Lett. B **485** (2000) 71
616. M. Acciarri *et al.* [L3 Collaboration], “Search for an invisibly decaying Higgs boson in e^+e^- collisions at $\sqrt{s} = 183$ GeV to 189 GeV”, Phys. Lett. B **485** (2000) 85
617. M. Acciarri *et al.* [L3 Collaboration], “Measurement of the photon structure function at high Q^2 at LEP”, Phys. Lett. B **483** (2000) 373
618. M. Acciarri *et al.* [L3 Collaboration], “Measurement of the lifetime of the tau lepton”, Phys. Lett. B **479** (2000) 67
619. M. Acciarri *et al.* [L3 Collaboration], “Inclusive Σ^+ and Σ^0 production in hadronic Z decays”, Phys. Lett. B **479** (2000) 79
620. M. Acciarri *et al.* [L3 Collaboration], “Measurements of cross sections and forward-backward asymmetries at the Z resonance and determination of electroweak parameters”, Eur. Phys. J. C **16** (2000) 1
621. M. Acciarri *et al.* [L3 Collaboration], “Search for charginos with a small mass difference with the lightest supersymmetric particle at $\sqrt{s} = 189$ GeV”, Phys. Lett. B **482** (2000) 31
622. M. Acciarri *et al.* [L3 Collaboration], “Measurement of the $e^+e^- \rightarrow Z \gamma \gamma$ cross section and determination of quartic gauge boson couplings at LEP”, Phys. Lett. B **478** (2000) 39
623. M. Acciarri *et al.* [L3 Collaboration], “Hard-photon production and tests of QED at LEP”, Phys. Lett. B **475** (2000) 198
624. M. Acciarri *et al.* [L3 Collaboration], “Measurement of the running of the fine-structure constant”, Phys. Lett. B **476** (2000) 40
625. M. Acciarri *et al.* [L3 Collaboration], “Measurement of hadron and lepton-pair production at $130 \text{ GeV} < \sqrt{s} < 189 \text{ GeV}$ at LEP”, Phys. Lett. B **479** (2000) 101
626. M. Acciarri *et al.* [L3 Collaboration], “Direct observation of longitudinally polarized W^\pm bosons”, Phys. Lett. B **474** (2000) 194
627. M. Acciarri *et al.* [L3 Collaboration], “Measurement of the probability of gluon splitting into charmed quarks in hadronic Z decays”, Phys. Lett. B **476** (2000) 243
628. M. Acciarri *et al.* [L3 Collaboration], “Search for excited leptons at $\sqrt{s} = 189$ GeV”, Phys. Lett. B **473** (2000) 177
629. P. Annis *et al.*, “High-resolution tracking using large capillary bundles filled with liquid scintillator”, Nucl. Instrum. Meth. A **449** (2000) 60.
630. M. Acciarri *et al.* [L3 Collaboration], “Search for charginos and neutralinos in e^+e^- collisions at $\sqrt{s} = 189$ GeV”, Phys. Lett. B **472** (2000) 420
631. M. Acciarri *et al.* [L3 Collaboration], “Search for extra dimensions in boson and fermion pair production in e^+e^- interactions at LEP”, Phys. Lett. B **470** (1999) 281
632. M. Acciarri *et al.* [L3 Collaboration], “Search for neutral Higgs bosons of the minimal supersymmetric standard model in e^+e^- interactions at $\sqrt{s} = 189$ GeV”, Phys. Lett. B **471** (1999) 321
633. M. Acciarri *et al.*, “1994 Running Experience With The L3 Silicon Microvertex Detector”, Nucl. Phys. Proc. Suppl. **44** (1995) 296.
634. M. Acciarri *et al.* [L3 Collaboration], “Searches for scalar quarks in e^+e^- interactions at $\sqrt{s} = 189$ GeV”, Phys. Lett. B **471** (1999) 308
635. P. Annis *et al.*, “A New Vertex Detector Made Of Glass Capillaries”, Nucl. Instrum. Meth. A **386** (1997) 72.

636. M. Acciarri *et al.* [L3 Collaboration], “Single and multi-photon events with missing energy in e^+e^- collisions at $\sqrt{s} = 189$ GeV”, Phys. Lett. B **470** (1999) 268
637. M. Acciarri *et al.* [L3 Collaboration], “Measurement of triple-gauge-boson couplings of the W boson at LEP”, Phys. Lett. B **467** (1999) 171
638. M. Acciarri *et al.* [L3 Collaboration], “Search for scalar leptons in e^+e^- collisions at $\sqrt{s} = 189$ GeV”, Phys. Lett. B **471** (1999) 280
639. M. Acciarri *et al.* [L3 Collaboration], “Study of Z boson pair production in e^+e^- collisions at LEP at $\sqrt{s} = 189$ GeV”, Phys. Lett. B **465** (1999) 363
640. M. Acciarri *et al.* [L3 Collaboration], “Search for charged Higgs bosons in e^+e^- collisions at $\sqrt{s} = 189$ GeV”, Phys. Lett. B **466** (1999) 71
641. M. Acciarri *et al.* [L3 Collaboration], “Measurement of R_b and $\text{Br}(b \rightarrow l \nu X)$ at LEP using double-tag methods”, Eur. Phys. J. C **13** (2000) 47
642. M. Acciarri *et al.* [L3 Collaboration], “Search for low scale gravity effects in e^+e^- collisions at LEP”, Phys. Lett. B **464** (1999) 135
643. M. Acciarri *et al.* [L3 Collaboration], “Measurement of the spectroscopy of orbitally excited B mesons at LEP”, Phys. Lett. B **465** (1999) 323
644. M. Acciarri *et al.* [L3 Collaboration], “Measurement of inclusive $D^{*\pm}$ production in two-photon collisions at LEP”, Phys. Lett. B **467** (1999) 137
645. M. Acciarri *et al.* [L3 Collaboration], “Search for heavy isosinglet neutrinos in e^+e^- annihilation at $130 \text{ GeV} < \sqrt{s} < 189 \text{ GeV}$ ”, Phys. Lett. B **461** (1999) 397
646. M. Acciarri *et al.* [L3 Collaboration], “Search for standard model Higgs boson in e^+e^- interactions at $\sqrt{s} = 189$ GeV”, Phys. Lett. B **461** (1999) 376
647. M. Acciarri *et al.* [L3 Collaboration], “Search for heavy neutral and charged leptons in e^+e^- annihilation at $\sqrt{s} = 183$ GeV and 189 GeV”, Phys. Lett. B **462** (1999) 354
648. M. Acciarri *et al.* [L3 Collaboration], “Formation of the η_c in two-photon collisions at LEP”, Phys. Lett. B **461** (1999) 155
649. M. Acciarri *et al.* [L3 Collaboration], “Measurement of an elongation of the pion source in Z decays”, Phys. Lett. B **458** (1999) 517
650. M. Acciarri *et al.* [L3 Collaboration], “Search for R-parity violating chargino and neutralino decays in e^+e^- collisions up to $\sqrt{s} = 183$ GeV”, Phys. Lett. B **459** (1999) 354.
651. M. Acciarri *et al.* [L3 Collaboration], “Search for scalar leptons in e^+e^- collisions at $\sqrt{s} = 183$ GeV”, Phys. Lett. B **456** (1999) 283.
652. M. Acciarri *et al.* [L3 Collaboration], “Measurement of mass and width of the W boson at LEP”, Phys. Lett. B **454** (1999) 386
653. O. Adriani *et al.*, “Status Of The L3 Silicon Microvertex Detector”, Nucl. Phys. Proc. Suppl. **32** (1998) 202.
654. M. Acciarri *et al.* [L3 Collaboration], “Heavy quarkonium production in Z decays”, Phys. Lett. B **453** (1999) 94.
655. M. Acciarri *et al.* [L3 Collaboration], “Measurement of the cross-section for the process $\gamma^* \gamma^* \rightarrow$ hadrons at LEP”, Phys. Lett. B **453** (1999) 333.
656. M. Acciarri *et al.* [L3 Collaboration], “Study of neutral-current four-fermion and Z Z production in e^+e^- collisions at $\sqrt{s} = 183$ GeV”, Phys. Lett. B **450** (1999) 281.
657. J. Konijn *et al.* [RD46 Collaboration], “Capillary Detectors”, Nucl. Instrum. Meth. A **418** (1998) 186.

658. M. Acciarri *et al.* [L3 Collaboration], “ χ_{c2} formation in two-photon collisions at LEP”, Phys. Lett. B **453** (1999) 73.
659. M. Acciarri *et al.* [L3 Collaboration], “Inclusive charm production in two-photon collisions at LEP”, Phys. Lett. B **453** (1999) 83.
660. M. Acciarri *et al.* [L3 Collaboration], “The Q^2 evolution of the hadronic photon structure function F_2^γ at LEP”, Phys. Lett. B **447** (1999) 147.
661. M. Acciarri *et al.* [L3 Collaboration], “Measurement of the $e^+e^- \rightarrow Z \rightarrow b\bar{b}$ forward-backward asymmetry and the $B^0\bar{B}^0$ mixing parameter using prompt leptons”, Phys. Lett. B **448** (1999) 152.
662. M. Acciarri *et al.* [L3 Collaboration], “Search for charged Higgs bosons in e^+e^- collisions at centre-of-mass energies between 130 GeV and 183 GeV”, Phys. Lett. B **446** (1999) 368.
663. M. Acciarri *et al.* [L3 Collaboration], “Searches for scalar top and scalar bottom quarks in e^+e^- interactions at $161 \text{ GeV} < \sqrt{s} < 183 \text{ GeV}$ ”, Phys. Lett. B **445** (1999) 428.
664. G. Barouch *et al.*, “Development of a fast gaseous detector Micromegas”, Nucl. Instrum. Meth. A **423** (1999) 32.
665. M. Acciarri *et al.* [L3 Collaboration], “Search for extra dimensions in boson and fermion pair production in e^+e^- interactions at LEP”, Phys. Lett. B **470** (1999) 281
666. M. Acciarri *et al.* [L3 Collaboration], “Search for neutral Higgs bosons of the minimal supersymmetric standard model in e^+e^- interactions at $\sqrt{s} = 189 \text{ GeV}$ ”, Phys. Lett. B **471** (1999) 321
667. M. Acciarri *et al.*, “1994 Running Experience With The L3 Silicon Microvertex Detector”, Nucl. Phys. Proc. Suppl. **44** (1995) 296.
668. M. Acciarri *et al.* [L3 Collaboration], “Searches for scalar quarks in e^+e^- interactions at $\sqrt{s} = 189 \text{ GeV}$ ”, Phys. Lett. B **471** (1999) 308
669. P. Annis *et al.*, “A New Vertex Detector Made Of Glass Capillaries”, Nucl. Instrum. Meth. A **386** (1997) 72.
670. M. Acciarri *et al.* [L3 Collaboration], “Single and multi-photon events with missing energy in e^+e^- collisions at $\sqrt{s} = 189 \text{ GeV}$ ”, Phys. Lett. B **470** (1999) 268
671. M. Acciarri *et al.* [L3 Collaboration], “Measurement of triple-gauge-boson couplings of the W boson at LEP”, Phys. Lett. B **467** (1999) 171
672. M. Acciarri *et al.* [L3 Collaboration], “Search for scalar leptons in e^+e^- collisions at $\sqrt{s} = 189 \text{ GeV}$ ”, Phys. Lett. B **471** (1999) 280
673. M. Acciarri *et al.* [L3 Collaboration], “Study of Z boson pair production in e^+e^- collisions at LEP at $\sqrt{s} = 189 \text{ GeV}$ ”, Phys. Lett. B **465** (1999) 363
674. M. Acciarri *et al.* [L3 Collaboration], “Search for charged Higgs bosons in e^+e^- collisions at $\sqrt{s} = 189 \text{ GeV}$ ”, Phys. Lett. B **466** (1999) 71
675. M. Acciarri *et al.* [L3 Collaboration], “Measurement of R_b and $\text{Br}(b \rightarrow l \nu X)$ at LEP using double-tag methods”, Eur. Phys. J. C **13** (2000) 47
676. M. Acciarri *et al.* [L3 Collaboration], “Search for low scale gravity effects in e^+e^- collisions at LEP”, Phys. Lett. B **464** (1999) 135
677. M. Acciarri *et al.* [L3 Collaboration], “Measurement of the spectroscopy of orbitally excited B mesons at LEP”, Phys. Lett. B **465** (1999) 323
678. M. Acciarri *et al.* [L3 Collaboration], “Measurement of inclusive $D^{*\pm}$ production in two-photon collisions at LEP”, Phys. Lett. B **467** (1999) 137

679. M. Acciarri *et al.* [L3 Collaboration], “Search for heavy isosinglet neutrinos in e^+e^- annihilation at $130 \text{ GeV} < \sqrt{s} < 189 \text{ GeV}$ ”, Phys. Lett. B **461** (1999) 397
680. M. Acciarri *et al.* [L3 Collaboration], “Search for standard model Higgs boson in e^+e^- interactions at $\sqrt{s} = 189 \text{ GeV}$ ”, Phys. Lett. B **461** (1999) 376
681. M. Acciarri *et al.* [L3 Collaboration], “Search for heavy neutral and charged leptons in e^+e^- annihilation at $\sqrt{s} = 183 \text{ GeV}$ and 189 GeV ”, Phys. Lett. B **462** (1999) 354
682. M. Acciarri *et al.* [L3 Collaboration], “Formation of the η_c in two-photon collisions at LEP”, Phys. Lett. B **461** (1999) 155
683. M. Acciarri *et al.* [L3 Collaboration], “Measurement of an elongation of the pion source in Z decays”, Phys. Lett. B **458** (1999) 517
684. M. Acciarri *et al.* [L3 Collaboration], “Search for R-parity violating chargino and neutralino decays in e^+e^- collisions up to $\sqrt{s} = 183 \text{ GeV}$ ”, Phys. Lett. B **459** (1999) 354.
685. M. Acciarri *et al.* [L3 Collaboration], “Search for scalar leptons in e^+e^- collisions at $\sqrt{s} = 183 \text{ GeV}$ ”, Phys. Lett. B **456** (1999) 283.
686. M. Acciarri *et al.* [L3 Collaboration], “Measurement of mass and width of the W boson at LEP”, Phys. Lett. B **454** (1999) 386
687. O. Adriani *et al.*, “Status Of The L3 Silicon Microvertex Detector”, Nucl. Phys. Proc. Suppl. **32** (1998) 202.
688. M. Acciarri *et al.* [L3 Collaboration], “Heavy quarkonium production in Z decays”, Phys. Lett. B **453** (1999) 94.
689. * M. Acciarri *et al.* [L3 Collaboration], “Measurement of the cross-section for the process $\gamma^* \gamma^* \rightarrow$ hadrons at LEP”, Phys. Lett. B **453** (1999) 333.
690. M. Acciarri *et al.* [L3 Collaboration], “Study of neutral-current four-fermion and Z Z production in e^+e^- collisions at $\sqrt{s} = 183 \text{ GeV}$ ”, Phys. Lett. B **450** (1999) 281.
691. J. Konijn *et al.* [RD46 Collaboration], “Capillary Detectors”, Nucl. Instrum. Meth. A **418** (1998) 186.
692. M. Acciarri *et al.* [L3 Collaboration], “ χ_{c2} formation in two-photon collisions at LEP”, Phys. Lett. B **453** (1999) 73.
693. M. Acciarri *et al.* [L3 Collaboration], “Inclusive charm production in two-photon collisions at LEP”, Phys. Lett. B **453** (1999) 83.
694. M. Acciarri *et al.* [L3 Collaboration], “The Q^2 evolution of the hadronic photon structure function F_2^γ at LEP”, Phys. Lett. B **447** (1999) 147.
695. M. Acciarri *et al.* [L3 Collaboration], “Measurement of the $e^+e^- \rightarrow Z \rightarrow b \bar{b}$ forward-backward asymmetry and the $\mathbf{B}^0 \bar{\mathbf{B}}^0$ mixing parameter using prompt leptons”, Phys. Lett. B **448** (1999) 152.
696. M. Acciarri *et al.* [L3 Collaboration], “Search for charged Higgs bosons in e^+e^- collisions at centre-of-mass energies between 130 GeV and 183 GeV ”, Phys. Lett. B **446** (1999) 368.
697. M. Acciarri *et al.* [L3 Collaboration], “Searches for scalar top and scalar bottom quarks in e^+e^- interactions at $161 \text{ GeV} < \sqrt{s} < 183 \text{ GeV}$ ”, Phys. Lett. B **445** (1999) 428.
698. G. Barouch *et al.*, “Development of a fast gaseous detector Micromegas”, Nucl. Instrum. Meth. A **423** (1999) 32.
699. M. Acciarri *et al.* [L3 Collaboration], “Test of CP invariance in $Z \rightarrow \mu^+ \mu^- \gamma$ decay”, Phys. Lett. B **436** (1998) 428.

700. M. Acciarri *et al.* [L3 Collaboration], “Production of single W bosons in e^+e^- interactions at $130\text{-GeV} \leq \sqrt{s} \leq 183\text{-GeV}$ and limits on anomalous $WW\gamma$ couplings”, *Phys. Lett. B* **436** (1998) 417.
701. M. Acciarri *et al.* [L3 Collaboration], “Study of the hadronic photon structure function $F_2(\gamma)$ at LEP”, *Phys. Lett. B* **436** (1998) 403.
702. M. Acciarri *et al.* [L3 Collaboration], “Measurement of the inclusive charmless semileptonic branching fraction of beauty hadrons and a determination of $-V(\text{ub})-$ at LEP”, *Phys. Lett. B* **436** (1998) 174.
703. M. Acciarri *et al.* [L3 Collaboration], “Study of anomalous $ZZ\gamma$ and $Z\gamma\gamma$ couplings at LEP”, *Phys. Lett. B* **436** (1998) 187.
704. M. Acciarri *et al.* [L3 Collaboration], “Photon structure functions and azimuthal correlations of lepton pairs in tagged gamma gamma collisions”, *Phys. Lett. B* **438** (1998) 363.
705. M. Acciarri *et al.* [L3 Collaboration], “Search for neutral Higgs bosons of the minimal supersymmetric standard model in e^+e^- interactions at $\sqrt{s} = 130\text{-GeV} - 183\text{-GeV}$ ”, *Phys. Lett. B* **436** (1998) 389.
706. M. Acciarri *et al.* [L3 Collaboration], “Search for the standard model Higgs boson in e^+e^- interactions at $\sqrt{s} = 183\text{-GeV}$ ”, *Phys. Lett. B* **431** (1998) 437.
707. M. Acciarri *et al.* [L3 Collaboration], “Measurement of the anomalous magnetic and electric dipole moments of the tau lepton”, *Phys. Lett. B* **434** (1998) 169.
708. M. Acciarri *et al.* [L3 Collaboration], “Search for new physics phenomena in fermion pair production at LEP”, *Phys. Lett. B* **433** (1998) 163.
709. M. Acciarri *et al.* [L3 Collaboration], “Measurement of tau polarisation at LEP”, *Phys. Lett. B* **429** (1998) 387.
710. M. Acciarri *et al.* [L3 Collaboration], “Determination of the number of light neutrino species from single photon production at LEP”, *Phys. Lett. B* **431** (1998) 199.
711. M. Acciarri *et al.* [L3 Collaboration], “Measurement of the B/d_0 - anti- B/d_0 oscillation frequency”, *Eur. Phys. J. C* **5** (1998) 195.
712. M. Acciarri *et al.* [L3 Collaboration], “Angular multiplicity fluctuations in hadronic Z decays and comparison to QCD models and analytical calculations”, *Phys. Lett. B* **428** (1998) 186.
713. M. Acciarri *et al.* [L3 Collaboration], “Measurement of the weak dipole moments of the tau lepton”, *Phys. Lett. B* **426** (1998) 207.
714. M. Acciarri *et al.* [L3 Collaboration], “Local multiplicity fluctuations in hadronic Z decay”, *Phys. Lett. B* **429** (1998) 375.
715. M. Acciarri *et al.* [L3 Collaboration], “Search for scalar leptons, charginos and neutralinos in e^+e^- collisions at $\sqrt{s} = 161\text{-GeV}$ to 172-GeV ”, *Eur. Phys. J. C* **4** (1998) 207.
716. M. Acciarri *et al.* [L3 Collaboration], “Measurement of the average lifetime of b hadrons in Z decays”, *Phys. Lett. B* **416** (1998) 220.
717. M. Acciarri *et al.* [L3 Collaboration], “Measurement of $\eta'(958)$ formation in two-photon collisions at LEP1”, *Phys. Lett. B* **418** (1998) 399.
718. M. Acciarri *et al.* [L3 Collaboration], “Neutral-current four-fermion production in e^+e^- interactions at $130\text{-GeV} \leq \sqrt{s} \leq 172\text{-GeV}$ ”, *Phys. Lett. B* **413** (1997) 191.
719. M. Acciarri *et al.* [L3 Collaboration], “Search for R-parity breaking sneutrino exchange at LEP”, *Phys. Lett. B* **414** (1997) 373.

720. M. Acciarri *et al.* [L3 Collaboration], “Measurements of mass, width and gauge couplings of the W boson at LEP”, Phys. Lett. B **413** (1997) 176.
721. M. Acciarri *et al.* [L3 Collaboration], “Missing mass spectra in hadronic events from e^+e^- collisions at $s^{**}(1/2) = 161\text{-GeV}$ to 172-GeV and limits on invisible Higgs decays”, Phys. Lett. B **418** (1998) 389.
722. M. Acciarri *et al.* [L3 Collaboration], “Search for the standard model Higgs boson in e^+e^- interactions at $161\text{-GeV} \leq s^{**}(1/2) \leq 172\text{-GeV}$ ”, Phys. Lett. B **411** (1997) 373.
723. M. Acciarri *et al.* [L3 Collaboration], “Search for new physics in energetic single photon production in e^+e^- annihilation at the Z resonance”, Phys. Lett. B **412** (1997) 201.
724. M. Acciarri *et al.* [L3 Collaboration], “ ν production in Z decays”, Phys. Lett. B **413** (1997) 167.
725. M. Acciarri *et al.* [L3 Collaboration], “Hard-photon production at $s^{**}(1/2) = 161\text{-GeV}$ and 172-GeV at LEP”, Phys. Lett. B **413** (1997) 159.
726. M. Acciarri *et al.* [L3 Collaboration], “Single and multi-photon events with missing energy in e^+e^- collisions at $161\text{-GeV} < s^{**}(1/2) < 172\text{-GeV}$ ”, Phys. Lett. B **415** (1997) 299.
727. M. Acciarri *et al.* [L3 Collaboration], “Search for heavy neutral and charged leptons in e^+e^- annihilation at $s^{**}(1/2) = 161\text{-GeV}$ and $s^{**}(1/2) = 172\text{-GeV}$ ”, Phys. Lett. B **412** (1997) 189.
728. M. Acciarri *et al.* [L3 Collaboration], “Study of hadronic events and measurements of $\alpha(s)$ between 30-GeV and 91-GeV ”, Phys. Lett. B **411** (1997) 339.
729. M. Acciarri *et al.* [L3 Collaboration], “Resonance formation in the $\pi^+\pi^-\pi^0$ final state in two-photon collisions”, Phys. Lett. B **413** (1997) 147.
730. M. Acciarri *et al.* [L3 Collaboration], “Measurement of W pair cross-sections in e^+e^- interactions at $\sqrt{s} = 172\text{-GeV}$ and W decay branching fractions”, Phys. Lett. B **407** (1997) 419.
731. M. Acciarri *et al.* [L3 Collaboration], “Search for anomalous four-jet events in e^+e^- annihilation at $s^{**}(1/2) = 130\text{-GeV}$ to 172-GeV ”, Phys. Lett. B **411** (1997) 330.
732. M. Acciarri *et al.* [L3 Collaboration], “Measurement of hadron and lepton-pair production at $161\text{-GeV} < s^{**}(1/2) < 172\text{-GeV}$ at LEP”, Phys. Lett. B **407** (1997) 361.
733. M. Acciarri *et al.* [L3 Collaboration], “ $K_0(S)$ and Λ production in quark and gluon jets at LEP”, Phys. Lett. B **407** (1997) 389 [Erratum-ibid. B **427** (1998) 409].
734. M. Acciarri *et al.* [L3 Collaboration], “Cross section of hadron production in $\gamma\gamma$ collisions at LEP”, Phys. Lett. B **408** (1997) 450.
735. M. Acciarri *et al.* [L3 Collaboration], “Inclusive J/ψ , ψ' and $\chi(c)$ production in hadronic Z decays”, Phys. Lett. B **407** (1997) 351.
736. M. Acciarri *et al.* [L3 Collaboration], “Production of e , μ and τ pairs in untagged two-photon collisions at LEP”, Phys. Lett. B **407** (1997) 341.
737. M. Acciarri *et al.* [L3 Collaboration], “QCD studies and determination of $\alpha(s)$ in e^+e^- collisions at $s^{**}(1/2) = 161\text{-GeV}$ and 172-GeV ”, Phys. Lett. B **404** (1997) 390.
738. M. Acciarri *et al.* [L3 Collaboration], “Production of Single W Bosons at LEP”, Phys. Lett. B **403** (1997) 168.
739. M. Acciarri *et al.* [L3 Collaboration], “Pair production of W bosons in e^+e^- interactions at $\sqrt{s} = 161\text{-GeV}$ ”, Phys. Lett. B **398** (1997) 223.
740. M. Acciarri *et al.* [L3 Collaboration], “Search for excited leptons in e^+e^- annihilation at $s^{**}(1/2) = 161\text{-GeV}$ ”, Phys. Lett. B **401** (1997) 139.
741. M. Acciarri *et al.* [L3 Collaboration], “Measurement of $D/s^- \rightarrow \tau^- \text{ anti-}\nu/\tau^-$ and a new limit for $B^- \rightarrow \tau^- \text{ anti-}\nu/\tau^-$ ”, Phys. Lett. B **396** (1997) 327.

742. M. Acciarri *et al.* [L3 Collaboration], “Measurement of inclusive omega and eta’ production in hadronic Z decays”, Phys. Lett. B **393** (1997) 465.
743. M. Acciarri *et al.* [L3 Collaboration], “Study of the weak charged hadronic current in b decays”, Phys. Lett. B **393** (1997) 477.
744. M. Acciarri *et al.* [L3 Collaboration], “Search for neutral **B** meson decays to two charged leptons”, Phys. Lett. B **391** (1997) 474.
745. M. Acciarri *et al.* [L3 Collaboration], “Search for exclusive **B** decays to J/ψ and η or π^0 with the L3 detector”, Phys. Lett. B **391** (1997) 481.
746. G. Ambrosio *et al.*, “The Readout and DAQ system of the L3 silicon microstrip detector”, Nucl. Instrum. Meth. A **360** (1995) 318.
747. M. Acciarri *et al.* [L3 SMD Collaboration], “The L3 silicon microvertex detector”, Nucl. Instrum. Meth. A **360** (1995) 103.
748. M. Acciarri *et al.* [L3 Collaboration], “Measurement of the lifetime of the tau lepton”, Phys. Lett. B **389** (1996) 187.
749. M. Acciarri *et al.* [L3 Collaboration], “Search for neutral Higgs boson production through the process $e^+ e^- \rightarrow Z^* H^0$ ”, Phys. Lett. B **385** (1996) 454.
750. M. Acciarri *et al.* [L3 Collaboration], “Measurement of the B0/d meson oscillation frequency”, Phys. Lett. B **383** (1996) 487.
751. M. Acciarri *et al.* [L3 Collaboration], “Measurement of the branching ratios $b \rightarrow c e \nu X$, $\mu \nu X$, $\tau \nu X$ and νX ”, Z. Phys. C **71** (1996) 379.
752. M. Acciarri *et al.* [L3 Collaboration], “Observation of multiple hard photon final states at $s^{**}(1/2) = 130\text{-GeV}$ to 140-GeV at LEP”, Phys. Lett. B **384** (1996) 323.
753. M. Acciarri *et al.* [L3 Collaboration], “Search for new particles in hadronic events with isolated photons”, Phys. Lett. B **388** (1996) 409.
754. M. Acciarri *et al.* [L3 Collaboration], “Measurement of the Michel parameters and the average tau-neutrino helicity from tau decays in $e^+ e^- \rightarrow \tau^+ \tau^-$ ”, Phys. Lett. B **377** (1996) 313.
755. M. Acciarri *et al.* [L3 Collaboration], “Search for unstable sequential neutral and charged heavy leptons in $e^+ e^-$ annihilation at $s^{**}(1/2) = 130\text{-GeV}$ and 136-GeV ”, Phys. Lett. B **377** (1996) 304.
756. M. Acciarri *et al.* [L3 Collaboration], “Search for supersymmetric particles at $130\text{-GeV} \leq \sqrt{s} \leq 140\text{-GeV}$ at LEP”, Phys. Lett. B **377** (1996) 289.
757. M. Acciarri *et al.* [L3 Collaboration], “Measurement of muon pair production at $50\text{-GeV} \leq \sqrt{s} \leq 86\text{-GeV}$ at LEP”, Phys. Lett. B **374** (1996) 331.
758. M. Acciarri *et al.* [L3 Collaboration], “Study of the structure of hadronic events and determination of α_s at $s^{**}(1/2) = 130\text{-GeV}$ and 136-GeV ”, Phys. Lett. B **371** (1996) 137.
759. M. Acciarri *et al.* [L3 Collaboration], “Measurement of hadron and lepton pair production at $130\text{-GeV} < \sqrt{s} < 140\text{-GeV}$ at LEP”, Phys. Lett. B **370** (1996) 195.
760. M. Acciarri *et al.* [L3 Collaboration], “Search For Excited Leptons In $E^+ E^-$ Annihilation At $S^{**}(1/2) = 130\text{-GeV} - 140\text{-GeV}$ ”, Phys. Lett. B **370** (1996) 211.
761. M. Acciarri *et al.* [L3 Collaboration], “Measurement Of Eta Production In Two And Three Jet Events From Hadronic Z Decays At LEP”, Phys. Lett. B **371** (1996) 126.
762. M. Acciarri *et al.* [L3 Collaboration], “Search for the decays $B(d)0 \rightarrow \gamma \gamma$ and $B(s)0 \rightarrow \gamma \gamma$ ”, Phys. Lett. B **363** (1995) 137.
763. M. Acciarri *et al.* [L3 Collaboration], “Search for neutral charmless B decays at LEP”, Phys. Lett. B **363** (1995) 127.

764. J. S. Kapustinsky *et al.*, “The Design and construction of a double sided silicon microvertex detector for the L3 experiment at CERN”, IEEE Trans. Nucl. Sci. **41** (1994) 772.
765. A. Adam *et al.*, “Performance on test beam of the L3 double sided silicon microstrip detector”, Nucl. Instrum. Meth. A **348** (1994) 436.
766. O. Adriani *et al.*, “The New double sided silicon microvertex detector for the L3 experiment”, Nucl. Instrum. Meth. A **348** (1994) 431.
767. M. Acciarri *et al.* [L3 Collaboration], “Study Of The K(S)0 K(S)0 Final State In Two Photon Collisions”, Phys. Lett. B **363** (1995) 118.
768. M. Acciarri *et al.* [L3 Collaboration], “One prong tau decays with neutral kaons”, Phys. Lett. B **352** (1995) 487.
769. M. Acciarri *et al.* [L3 Collaboration], “Evidence For Gluon Interference In Hadronic Z Decays”, Phys. Lett. B **353** (1995) 145.
770. M. Acciarri *et al.* [L3 Collaboration], “Tests Of QED At Lep Energies Using E+ E- \rightarrow Gamma Gamma (Gamma) And E+ E- \rightarrow Lepton+ Lepton- Gamma Gamma”, Phys. Lett. B **353** (1995) 136.
771. M. Acciarri *et al.* [L3 Collaboration], “Search for neutralinos in Z decays”, Phys. Lett. B **350** (1995) 109.
772. M. Acciarri *et al.* [L3 Collaboration], “Measurement of the weak charged current structure in semileptonic b hadron decays at the Z peak”, Phys. Lett. B **351** (1995) 375.
773. M. Acciarri *et al.* [L3 Collaboration], “Measurement of energetic single photon production at LEP”, Phys. Lett. B **346** (1995) 190.
774. M. Acciarri *et al.* [L3 Collaboration], “Search for anomalous Z \rightarrow gamma gamma gamma events at LEP”, Phys. Lett. B **345** (1995) 609.
775. M. Acciarri *et al.* [L3 Collaboration], “Measurement Of Exclusive Branching Fractions Of Hadronic One Space Prong Tau Decays”, Phys. Lett. B **345** (1995) 93.
776. M. Acciarri *et al.* [L3 Collaboration], “Energy and particle flow in three jet and radiative two jet events from hadronic Z decays”, Phys. Lett. B **345** (1995) 74.
777. M. Acciarri *et al.* [L3 Collaboration], “B* production in Z decays at LEP”, Phys. Lett. B **345** (1995) 589.
778. M. Acciarri *et al.* [L3 Collaboration], “A Measurement of tau polarization at LEP”, Phys. Lett. B **341** (1994) 245.
779. M. Acciarri *et al.* [L3 SMD Collaboration], “The L3 silicon microvertex detector”, Nucl. Instrum. Meth. A **351** (1994) 300.
780. B. Bertucci *et al.*, “Experience with the SVX-H chip in the construction of the L3 silicon microvertex detector”, Nucl. Instrum. Meth. A **344** (1994) 216.
781. A. Santocchia *et al.*, “Design and construction of double sided silicon ladders for the L3 microvertex detector”, Nucl. Instrum. Meth. A **344** (1994) 133.
782. J. A. Bakken *et al.* [L3 BGO Collaboration], “Results on the calibration of the L3 BGO calorimeter with cosmic rays”, Nucl. Instrum. Meth. A **343** (1994) 456.
783. M. Acciarri *et al.* [L3 Collaboration], “Measurement of the B0 - anti-B0 mixing parameter and the Z \rightarrow b anti-b forward - backward asymmetry”, Phys. Lett. B **335** (1994) 542.
784. M. Acciarri *et al.* [L3 Collaboration], “Measurement of the inclusive B \rightarrow tau-neutrino X branching ratio”, Phys. Lett. B **332** (1994) 201.

785. M. Acciarri *et al.* [L3 Collaboration], “Measurement of inclusive production of neutral hadrons from Z decays”, Phys. Lett. B **328** (1994) 223.
786. M. Acciarri *et al.* [L3 Collaboration], “Measurement of cross-sections and leptonic forward - backward asymmetries at the Z pole and determination of electroweak parameters”, Z. Phys. C **62** (1994) 551.
787. A. Adam *et al.* [L3 Collaboration], “A Study of four fermion processes at LEP”, Phys. Lett. B **321** (1994) 283.
788. O. Adriani *et al.* [L3 Collaboration], “Measurement of eta(c) production in untagged two photon collisions at LEP”, Phys. Lett. B **318** (1993) 575.
789. A. Adam *et al.*, “Test beam results from the prototype L3 silicon microvertex detector”, Nucl. Instrum. Meth. A **344** (1994) 521.
790. O. Adriani *et al.* [L3 Collaboration], “Chi(c) production in hadronic Z decays”, Phys. Lett. B **317** (1993) 467.
791. O. Adriani *et al.* [L3 Collaboration], “Measurement of the average lifetime of b hadrons”, Phys. Lett. B **317** (1993) 474.
792. O. Adriani *et al.* [L3 Collaboration], “Search for lepton flavor violation in Z decays”, Phys. Lett. B **316** (1993) 427.
793. O. Adriani *et al.* [L3 Collaboration], “An S matrix analysis of the Z resonance”, Phys. Lett. B **315** (1993) 494.
794. O. Adriani *et al.* [L3 Collaboration], “Inclusive Search For The Charmless Radiative Decay Of The B Quark ($b \rightarrow s \text{ Gamma}$)”, Phys. Lett. B **317** (1993) 637.
795. O. Adriani *et al.* [L3 Collaboration], “Determination Of The Effective Electroweak Mixing Angle From Z Decay”, Phys. Lett. B **309** (1993) 451.
796. A. Bay *et al.*, “The Xenon monitor of the L3 electromagnetic calorimeter”, Nucl. Instrum. Meth. A **321** (1992) 119.
797. O. Adriani *et al.* [L3 Collaboration], “Measurement of Gamma (b anti-b) / Gamma (had) from hadronic decays of the Z”, Phys. Lett. B **307** (1993) 237.
798. O. Adriani *et al.* [L3 Collaboration], “Search for a Z' at the Z resonance”, Phys. Lett. B **306** (1993) 187.
799. O. Adriani *et al.* [L3 Collaboration], “Search for narrow vector resonances in the Z mass range”, Phys. Lett. B **313** (1993) 326.
800. O. Adriani *et al.* [L3 Collaboration], “A Search for the neutral Higgs boson at LEP”, Phys. Lett. B **303** (1993) 391.
801. O. Adriani *et al.* [L3 Collaboration], “Results from the L3 experiment at LEP”, Phys. Rept. **236** (1993) 1.
802. O. Adriani *et al.* [L3 Collaboration], “Determination of quark electroweak couplings from direct photon production in hadronic Z decays”, Phys. Lett. B **301** (1993) 136.
803. O. Adriani *et al.* [L3 Collaboration], “Search for anomalous production of single photon events in e+ e- annihilations at the Z resonance”, Phys. Lett. B **297** (1992) 469.
804. O. Adriani *et al.* [L3 Collaboration], “Search For Nonminimal Higgs Bosons In Z0 Decays”, Z. Phys. C **57** (1993) 355.
805. O. Adriani *et al.* [L3 Collaboration], “High Mass Photon Pairs In Lepton+ Lepton- Gamma Gamma Events At Lep”, Phys. Lett. B **295** (1992) 337.

806. O. Adriani *et al.* [L3 Collaboration], “Search For Isosinglet Neutral Heavy Leptons In Z^0 Decays”, Phys. Lett. B **295** (1992) 371.
807. O. Adriani *et al.* [L3 Collaboration], “Searches For Nonminimal Higgs Bosons In Z^0 Decays”, Phys. Lett. B **294** (1992) 457.
808. O. Adriani *et al.* [L3 Collaboration], “A Measurement of tau polarization in Z^0 decays”, Phys. Lett. B **294** (1992) 466.
809. O. Adriani *et al.* [L3 Collaboration], “Isolated hard photon emission in hadronic Z^0 decays”, Phys. Lett. B **292** (1992) 472.
810. O. Adriani *et al.* [L3 Collaboration], “Determination of the number of light neutrino species”, Phys. Lett. B **292** (1992) 463.
811. O. Adriani *et al.* [L3 Collaboration], “Measurement of the $e^+ e^- \rightarrow b \text{ anti-}b$ and $e^+ e^- \rightarrow c \text{ anti-}c$ forward backward asymmetries at the Z^0 resonance”, Phys. Lett. B **292** (1992) 454.
812. O. Adriani *et al.* [L3 Collaboration], “Inclusive J production in Z^0 decays”, Phys. Lett. B **288** (1992) 412.
813. O. Adriani *et al.* [L3 Collaboration], “A Test of quantum electrodynamics in the reaction $e^+ e^- \rightarrow \text{gamma gamma (gamma)}$ ”, Phys. Lett. B **288** (1992) 404.
814. O. Adriani *et al.* [L3 Collaboration], “Measurement of inclusive eta production in hadronic decays of the Z^0 ”, Phys. Lett. B **286** (1992) 403.
815. B. Adeva *et al.* [L3 Collaboration], “An Improved measurement of $B^0 - \bar{B}^0$ mixing in Z^0 decays”, Phys. Lett. B **288** (1992) 395.
816. B. Adeva *et al.* [L3 Collaboration], “Studies of hadronic event structure and comparisons with QCD models at the Z^0 resonance”, Z. Phys. C **55** (1992) 39.
817. B. Adeva *et al.* [L3 Collaboration], “Search for the neutral Higgs boson at LEP”, Phys. Lett. B **283** (1992) 454.
818. O. Adriani *et al.* [L3 Collaboration], “Determination of alpha-s from hadronic event shapes measured on the Z^0 resonance”, Phys. Lett. B **284** (1992) 471.
819. B. Adeva *et al.* [L3 Collaboration], “Search for the neutral Higgs boson”, Phys. Lett. B **257** (1991) 450.
820. B. Adeva *et al.* [L3 Collaboration], “Determination of alpha-s from energy-energy correlations measured on the Z^0 resonance”, Phys. Lett. B **257** (1991) 469.
821. B. Adeva *et al.* [L3 Collaboration], “A Direct Determination Of The Number Of Light Neutrino Families From $E^+ E^- \rightarrow \text{Neutrino Anti-Neutrino Gamma}$ At Lep”, Phys. Lett. B **275** (1992) 209.
822. B. Adeva *et al.* [L3 Collaboration], “Search For Lepton Flavor Violation In Z^0 Decays”, Phys. Lett. B **271** (1991) 453.
823. B. Adeva *et al.* [L3 Collaboration], “Measurement Of The Strong Coupling Constant Alpha-S For Bottom Quarks At The Z^0 Resonance”, Phys. Lett. B **271** (1991) 461.
824. B. Adeva *et al.* [L3 Collaboration], “Measurement of the lifetime of B hadrons and a determination of $|V(\text{cb})|$ ”, Phys. Lett. B **270** (1991) 111.
825. B. Adeva *et al.* [L3 Collaboration], “Decay properties of tau leptons measured at the Z^0 resonance”, Phys. Lett. B **265** (1991) 451.
826. H. Aihara *et al.* [TPC/Two-Gamma Collaboration], “Test of spin dependence in charm-quark fragmentation to D^* ”, Phys. Rev. D **43** (1991) 29.
827. B. Adeva *et al.* [L3 Collaboration], “A Test Of QCD Based On Three Jet Events From Z^0 Decays”, Phys. Lett. B **263** (1991) 551.

828. B. Adeva *et al.* [L3 Collaboration], “Search For Narrow High Mass Resonances In Radiative Decays Of The Z^0 ”, Phys. Lett. B **262** (1991) 155.
829. B. Adeva *et al.* [L3 Collaboration], “Search For Leptoquarks In Z^0 Decays”, Phys. Lett. B **261** (1991) 169.
830. B. Adeva *et al.* [L3 Collaboration], “Measurement of electroweak parameters from hadronic and leptonic decays of the Z^0 ”, Z. Phys. C **51** (1991) 179.
831. B. Adeva *et al.* [L3 Collaboration], “Measurements of $Z^0 \rightarrow b$ anti- b decays and the semileptonic branching ratio $\text{Br}(b \rightarrow \text{lepton } X)$ ”, Phys. Lett. B **261** (1991) 177.
832. B. Adeva *et al.* [L3 Collaboration], “Measurement of the inclusive production of neutral pions and charged particles on the Z^0 resonance”, Phys. Lett. B **259** (1991) 199.
833. B. Adeva *et al.* [L3 Collaboration], “A Measurement of B^0 - anti- B^0 mixing in Z^0 decays”, Phys. Lett. B **252** (1990) 703.
834. B. Adeva *et al.* [L3 Collaboration], “A Measurement of the $Z^0 \rightarrow b$ anti- b forward - backward asymmetry”, Phys. Lett. B **252** (1990) 713.
835. B. Adeva *et al.* [L3 Collaboration], “Search for excited neutrinos from Z^0 decays”, Phys. Lett. B **252** (1990) 525.
836. B. Adeva *et al.* [L3 Collaboration], “Search for a low mass neutral Higgs boson in Z^0 decay”, Phys. Lett. B **252** (1990) 518.
837. B. Adeva *et al.* [L3 Collaboration], “Search for the charged Higgs boson in Z^0 decay”, Phys. Lett. B **252** (1990) 511.
838. B. Adeva *et al.* [L3 Collaboration], “A MEASUREMENT OF THE Z^0 LEPTONIC PARTIAL WIDTHS AND THE VECTOR AND AXIAL VECTOR COUPLING CONSTANTS”, Phys. Lett. B **238** (1990) 122.
839. M. Alston-Garnjost *et al.* [TPC/Two-Gamma Collaboration], “Inclusive $D^{*\pm}$ production in photon-photon collisions”, Phys. Lett. B **252** (1990) 499.
840. B. Adeva *et al.* [L3 Collaboration], “A Determination of electroweak parameters from Z^0 decays into charged leptons”, Phys. Lett. B **250** (1990) 183.
841. B. Adeva *et al.* [L3 Collaboration], “A Search for heavy charged and neutral leptons from Z^0 decays”, Phys. Lett. B **251** (1990) 321.
842. B. Adeva *et al.* [L3 Collaboration], “Search for the neutral Higgs bosons of the minimal supersymmetric standard model from Z^0 decays”, Phys. Lett. B **251** (1990) 311.
843. B. Adeva *et al.* [L3 Collaboration], “Search For Excited Taus From Z^0 Decay”, Phys. Lett. B **250** (1990) 205.
844. B. Adeva *et al.* [L3 Collaboration], “Test Of QED In $E^+ E^- \rightarrow \text{Gamma Gamma}$ At Lep”, Phys. Lett. B **250** (1990) 199.
845. B. Adeva *et al.* [L3 Collaboration], “A Test Of QCD Based On Four Jet Events From Z^0 Decays”, Phys. Lett. B **248** (1990) 227.
846. B. Adeva *et al.* [L3 Collaboration], “A Precision Measurement Of The Number Of Neutrino Species”, Phys. Lett. B **249** (1990) 341.
847. B. Adeva *et al.* [L3 Collaboration], “Determination Of Alpha-S From Jet Multiplicities Measured On The Z^0 Resonance”, Phys. Lett. B **248** (1990) 464.
848. B. Adeva *et al.* [L3 Collaboration], “A Determination Of Electroweak Parameters From $Z^0 \rightarrow \text{Mu}^+ \text{Mu}^- (\text{Gamma})$ ”, Phys. Lett. B **247** (1990) 473.

849. B. Adeva *et al.* [L3 Collaboration], “Mass Limits For Excited Electrons And Muons From Z0 Decay”, Phys. Lett. B **247** (1990) 177.
850. B. Adeva *et al.* [L3 collaboration], “Search For Neutral Higgs Boson In Z0 Decay”, Phys. Lett. B **248** (1990) 203.
851. B. Adeva *et al.* [L3 Collaboration], “Measurement Of Z0 \rightarrow B Anti-B Decay Properties”, Phys. Lett. B **241** (1990) 416.
852. B. Adeva *et al.* [L3 Collaboration], “MEASUREMENT OF Z0 DECAYS TO HADRONS AND A PRECISE DETERMINATION OF THE NUMBER OF NEUTRINO SPECIES”, Phys. Lett. B **237** (1990) 136.
853. B. Adeva *et al.* [L3 Collaboration], “Measurement Of G(A) And G(V), The Neutral Current Coupling Constants To Leptons”, Phys. Lett. B **236** (1990) 109.
854. B. Adeva *et al.* [L3 Collaboration], “MASS LIMITS FOR SCALAR MUONS, SCALAR ELECTRONS AND WINOS FROM $e^+ e^-$ COLLISIONS NEAR $S^{**}(1/2) = 91\text{-GeV}$ ”, Phys. Lett. B **233** (1989) 530.
855. H. Aihara *et al.* [TPC/Two Gamma Collaboration], “Investigation of the electromagnetic structure of η and η' mesons by two photon interactions”, Phys. Rev. Lett. **64** (1990) 172.
856. B. Adeva *et al.* [L3 Collaboration], “A Determination of the Properties of the Neutral Intermediate Vector Boson Z^0 ”, Phys. Lett. B **231** (1989) 509.
857. H. Aihara *et al.* [TPC/Two Gamma Collaboration], “A measurement of the total hadronic cross-section in tagged $\gamma\gamma$ reactions”, Phys. Rev. D **41** (1990) 2667.
858. H. Aihara *et al.* [TPC/Two Gamma Collaboration], “Exclusive production of $p\bar{p}\pi^+\pi^-$ in photon-photon collisions”, Phys. Rev. D **40** (1989) 2772.
859. A. Bay *et al.*, “A MODULAR NAI(TL) DETECTOR FOR INTERMEDIATE-ENERGY PHOTONS”, Nucl. Instrum. Meth. A **271** (1988) 497.
860. H. Aihara *et al.* [TPC/Two Gamma Collaboration], “Evidence of soft and collinear gluon emission in e^+e^- hadronic events”, Z. Phys. C **44** (1989) 357.
861. H. Aihara *et al.* [TPC-TWO-GAMMA COLLABORATION Collaboration], “ $f_1(1285)$ formation in photon photon fusion reactions”, Phys. Lett. B **209** (1988) 107.
862. M. Dobeli *et al.*, “RADIATIVE MUON CAPTURE IN NUCLEI”, Phys. Rev. C **37** (1988) 1633.
863. H. Aihara *et al.* [TPC/Two Gamma Collaboration], “Charged hadron inclusive cross-sections and fractions in e^+e^- annihilation $\sqrt{s} = 29\text{ GeV}$ ”, Phys. Rev. Lett. **61** (1988) 1263.
864. H. Aihara *et al.* [TPC/Two Gamma Collaboration], “Formation of spin one mesons by photon-photon fusion”, Phys. Rev. D **38** (1988) 1.
865. M. Dobeli *et al.*, “Experimental Results On Radiative Muon Capture In Complex Nuclei”, Czech. J. Phys. B **36** (1986) 386.
866. A. Bay *et al.*, “MEASUREMENT OF THE PION AXIAL FORM-FACTOR FROM RADIATIVE DECAY”, Phys. Lett. B **174** (1986) 445.